

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1001	ACETYLENE, DISSOLVED		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						392							
						397							
1002	AIR, COMPRESSED		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(E)	Accepted	
						655							
1006	ARGON, COMPRESSED		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(E)	Accepted	
						378							
						392							
						406							
1009	BROMOTRIFLUORO-METHANE (REFRIGERANT GAS R 13B1)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
						662							
1011	BUTANE		2.1		Flammable Gas	662	SP652 Not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
						392							
						652							
						657							
						662							
						674							
1012	BUTYLENE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						398							
						662							
1013	CARBON DIOXIDE		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
						378							
						392							
						406							
						584							
						662							
1018	CHLORODIFLUORO-METHANE (REFRIGERANT GAS R 22)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
						662							
1020	CHLOROPENTAFLUORO-ETHANE (REFRIGERANT GAS R 115)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
						662							
1021	1-CHLORO-1,2,2,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 124)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
						662							
1022	CHLOROTRIFLUORO-METHANE (REFRIGERANT GAS R 13)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
						662							
1027	CYCLOPROPANE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						662							
1028	DICHLORODIFLUORO-METHANE (REFRIGERANT GAS R 12)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
						662							
1029	DICHLOROFUORO-METHANE (REFRIGERANT GAS R 21)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
						662							
1030	1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						662							
1032	DIMETHYLAMINE, ANHYDROUS		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						662							
1033	DIMETHYL ETHER		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						662							
1035	ETHANE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						662							
1036	ETHYLAMINE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						662							
1037	ETHYL CHLORIDE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						662							
1039	ETHYL METHYL ETHER		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						662							
1041	ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 9% but not more than 87% ethylene oxide		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
						662							
1043	FERTILIZER AMMONIATING SOLUTION with free ammonia		2.2		Non-Flammable Gas	642			30 Kgs G	-	(-)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1044	FIRE EXTINGUISHERS with compressed or liquefied gas		2.2		Non-Flammable Gas	225 594		P003	30 Kgs G	3	(E)	Accepted	
1046	HELIUM, COMPRESSED		2.2		Non-Flammable Gas	378 392 406 662		P200	30 Kgs G	3	(E)	Accepted	
1049	HYDROGEN, COMPRESSED		2.1		Flammable Gas	392 662		P200	30 Kgs G	2	(B/D)	Forbidden	
1055	ISOBUTYLENE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
1056	KRYPTON, COMPRESSED		2.2		Non-Flammable Gas	378 392 662		P200	30 Kgs G	3	(E)	Accepted	
1057	LIGHTERS or LIGHTER REFILLS containing flammable gas		2.1		Flammable Gas	201 654 658	SP654 and SP658 Not accepted by UPS	P002	30 Kgs G	2	(D)	Accepted	
1058	LIQUEFIED GASES, non-flammable, charged with nitrogen, carbon dioxide or air		2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted	
1060	METHYLACETYLENE AND PROPADIENE MIXTURE, STABILIZED such as mixture P1 or mixture P2		2.1		Flammable Gas	386 581 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
1061	METHYLAMINE, ANHYDROUS		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
1063	METHYL CHLORIDE (REFRIGERANT GAS R 40)		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
1065	NEON, COMPRESSED		2.2		Non-Flammable Gas	378 392 662		P200	30 Kgs G	3	(E)	Accepted	
1066	NITROGEN, COMPRESSED		2.2		Non-Flammable Gas	378 392 406 662		P200	30 Kgs G	3	(E)	Accepted	
1070	NITROUS OXIDE		2.2 (5.1)		Non-Flammable Gas, Oxidizer	584 662		P200	30 Kgs G	3	(C/E)	Accepted	
1072	OXYGEN, COMPRESSED		2.2 (5.1)		Non-Flammable Gas, Oxidizer	355 655 662		P200	30 Kgs G	3	(E)	Accepted	
1075	PETROLEUM GASES, LIQUEFIED	Yes	2.1		Flammable Gas	274 392 583 639 662 674		P200	30 Kgs G	2	(B/D)	Forbidden	
1077	PROPYLENE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
1078	REFRIGERANT GAS, N.O.S., such as mixture F1, mixture F2 or mixture F3	Yes	2.2		Non-Flammable Gas	274 582 662		P200	30 Kgs G	3	(C/E)	Accepted	
1080	SULPHUR HEXAFLUORIDE		2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instru- ctions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1081	TETRAFLUOROETHYLENE, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
1083	TRIMETHYLAMINE, ANHYDROUS		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
1085	VINYL BROMIDE, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
1086	VINYL CHLORIDE, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
1087	VINYL METHYL ETHER, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
1088	ACETAL		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1089	ACETALDEHYDE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1090	ACETONE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1091	ACETONE OILS		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1093	ACRYLONITRILE, STABILIZED		3 (6.1)	I	Flammable Liquid, Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1099	ALLYL BROMIDE		3 (6.1)	I	Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1100	ALLYL CHLORIDE		3 (6.1)	I	Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1104	AMYL ACETATES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1105	PENTANOLS		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1105	PENTANOLS		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1106	AMYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1106	AMYLAMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
1107	AMYL CHLORIDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1108	1-PENTENE (n-AMYLENE)		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1109	AMYL FORMATES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1110	n-AMYL METHYL KETONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1111	AMYL MERCAPTAN		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1112	AMYL NITRATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1113	AMYL NITRITE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1114	BENZENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1120	BUTANOLS		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1120	BUTANOLS		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1123	BUTYL ACETATES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1123	BUTYL ACETATES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1125	n-BUTYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1126	1-BROMOBUTANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1127	CHLOROBUTANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1128	n-BUTYL FORMATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1129	BUTYRALDEHYDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1130	CAMPHOR OIL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1131	CARBON DISULPHIDE		3 (6.1)	I	Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1133	ADHESIVES containing flammable liquid		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1133	ADHESIVES containing flammable liquid (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1133	ADHESIVES containing flammable liquid (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1133	ADHESIVES containing flammable liquid		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1133	ADHESIVES containing flammable liquid (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1133	ADHESIVES containing flammable liquid (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1134	CHLOROBENZENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1136	COAL TAR DISTILLATES, FLAMMABLE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1136	COAL TAR DISTILLATES, FLAMMABLE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1139	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining)		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1139	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining) (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1139	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining) (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1139		COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining)	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1139		COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining) (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)	3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1139		COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining) (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)	3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1144		CROTONYLENE	3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1145		CYCLOHEXANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1146		CYCLOPENTANE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1147		DECAHYDRO-NAPHTHALENE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1148		DIACETONE ALCOHOL	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1148		DIACETONE ALCOHOL	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1149		DIBUTYL ETHERS	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1150		1,2-DICHLOROETHYLENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1152		DICHLOROPENTANES	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1153		ETHYLENE GLYCOL DIETHYL ETHER	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1153		ETHYLENE GLYCOL DIETHYL ETHER	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1154		DIETHYLAMINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1155		DIETHYL ETHER (ETHYL ETHER)	3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1156		DIETHYL KETONE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1157		DIISOBUTYL KETONE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1158		DIISOPROPYLAMINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1159		DIISOPROPYL ETHER	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1160		DIMETHYLAMINE AQUEOUS SOLUTION	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1161		DIMETHYL CARBONATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1162		DIMETHYLDICHLORO-SILANE	3 (8)	II	Flammable Liquid, Corrosive			P010	30 Kgs G	2	(D/E)	Forbidden	
1164		DIMETHYL SULPHIDE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1165	DIOXANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1166	DIOXOLANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1167	DIVINYL ETHER, STABILIZED		3	I	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1170	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		3	II	Flammable Liquid	144 601		P001	30 Kgs G	2	(D/E)	Accepted	
1170	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		3	III	Flammable Liquid	144 601		P001	30 Kgs G	3	(D/E)	Accepted	
1171	ETHYLENE GLYCOL MONOETHYL ETHER		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1172	ETHYLENE GLYCOL MONOETHYL ETHER ACETATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1173	ETHYL ACETATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1175	ETHYLBENZENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1176	ETHYL BORATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1177	2-ETHYLBUTYL ACETATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1178	2-ETHYLBUTYRALDEHYDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1179	ETHYL BUTYL ETHER		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1180	ETHYL BUTYRATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1181	ETHYL CHLOROACETATE		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
1184	ETHYLENE DICHLORIDE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
1188	ETHYLENE GLYCOL MONOMETHYL ETHER		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1189	ETHYLENE GLYCOL MONOMETHYL ETHER ACETATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1190	ETHYL FORMATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1191	OCTYL ALDEHYDES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1192	ETHYL LACTATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1193	ETHYL METHYL KETONE (METHYL ETHYL KETONE)		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1195	ETHYL PROPIONATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1196	ETHYLTRICHLOROSILANE		3 (8)	II	Flammable Liquid, Corrosive			P010	30 Kgs G	2	(D/E)	Forbidden	
1197	EXTRACTS, LIQUID for flavour or aroma (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	601 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1197	EXTRACTS, LIQUID for flavour or aroma (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	601 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1197	EXTRACTS, LIQUID for flavour or aroma		3	III	Flammable Liquid	601		P001	30 Kgs G	3	(D/E)	Accepted	
1197	EXTRACTS, LIQUID for flavour or aroma (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid	601		P001	30 Kgs G	3	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1197	EXTRACTS, LIQUID for flavour or aroma (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid	601		P001	30 Kgs G	3	(E)	Accepted	
1198	FORMALDEHYDE SOLUTION, FLAMMABLE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
1199	FURALDEHYDES		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
1201	FUSEL OIL		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1201	FUSEL OIL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1202	GAS OIL or DIESEL FUEL or HEATING OIL, LIGHT (flash-point not more than 60 °C)		3	III	Flammable Liquid	640K 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	3	(D/E)	Accepted	
1202	DIESEL FUEL complying with standard EN 590:2013 + A1:2017 or GAS OIL or HEATING OIL, LIGHT with a flash-point as specified in EN 590:2013 + A1:2017		3	III	Flammable Liquid	640L 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	3	(D/E)	Accepted	
1202	GAS OIL or DIESEL FUEL or HEATING OIL, LIGHT (flash-point more than 60 °C and not more than 100 °C)		3	III	Flammable Liquid	640M 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	3	(D/E)	Accepted	
1203	MOTOR SPIRIT or GASOLINE or PETROL		3	II	Flammable Liquid	243 534 664	SP664 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1206	HEPTANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1207	HEXALDEHYDE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1208	HEXANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable		3	I	Flammable Liquid	163 367		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	163 367 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	163 367 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable		3	III	Flammable Liquid	163 367		P001	30 Kgs G	3	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1210		PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)	3	III	Flammable Liquid	163 367		P001	30 Kgs G	3	(E)	Accepted	
1210		PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)	3	III	Flammable Liquid	163 367		P001	30 Kgs G	3	(E)	Accepted	
1212		ISOBUTANOL (ISOBUTYL ALCOHOL)	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1213		ISOBUTYL ACETATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1214		ISOBUTYLAMINE	3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1216		ISOOCTENES	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1218		ISOPRENE, STABILIZED	3	I	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1219		ISOPROPANOL (ISOPROPYL ALCOHOL)	3	II	Flammable Liquid	601		P001	30 Kgs G	2	(D/E)	Accepted	
1220		ISOPROPYL ACETATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1221		ISOPROPYLAMINE	3 (8)	I	Flammable Liquid, Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1222		ISOPROPYL NITRATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(E)	Accepted	
1223		KEROSENE	3	III	Flammable Liquid	664	SP664 not applicable to UPS	P001	30 Kgs G	3	(D/E)	Accepted	
1224		KETONES, LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	3	II	Flammable Liquid	274 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1224		KETONES, LIQUID, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	3	II	Flammable Liquid	274 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1224		KETONES, LIQUID, N.O.S.	3	III	Flammable Liquid	274		P001	30 Kgs G	3	(D/E)	Accepted	
1228		MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	3 (6.1)	II	Flammable Liquid, Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden	
1228		MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	3 (6.1)	III	Flammable Liquid, Toxic	274		P001	30 Kgs G	3	(D/E)	Forbidden	
1229		MESITYL OXIDE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1230		METHANOL	3 (6.1)	II	Flammable Liquid, Toxic	279		P001	30 Kgs G	2	(D/E)	Forbidden	
1231		METHYL ACETATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1233		METHYLAMYL ACETATE	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1234		METHYLAL	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1235	METHYLAMINE, AQUEOUS SOLUTION		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1237	METHYL BUTYRATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1243	METHYL FORMATE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1245	METHYL ISOBUTYL KETONE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1246	METHYL ISOPROPENYL KETONE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1247	METHYL METHACRYLATE MONOMER, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1248	METHYL PROPIONATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1249	METHYL PROPYL KETONE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1250	METHYLTRICHLORO-SILANE		3 (8)	II	Flammable Liquid, Corrosive			P010	30 Kgs G	2	(D/E)	Forbidden	
1261	NITROMETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(E)	Accepted	
1262	OCTANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)		3	I	Flammable Liquid	163 367 650	SP650 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	163 367 640C 650	SP640 not applicable to UPS. SP650 not accepted by UPS.	P001	30 Kgs G	2	(D/E)	Accepted	
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	163 367 640D 650	SP640 not applicable to UPS. SP650 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)		3	III	Flammable Liquid	163 367 650	SP650 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted	
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid	163 367 650	SP650 not accepted by UPS	P001	30 Kgs G	3	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1263		PAINTE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)	3	III	Flammable Liquid	163 367 650	SP650 not accepted by UPS	P001	30 Kgs G	3	(E)	Accepted	
1264	PARALDEHYDE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1265	PENTANES, liquid		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1265	PENTANES, liquid		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1266		PERFUMERY PRODUCTS with flammable solvents (vapour pressure at 50 °C more than 110 kPa)	3	II	Flammable Liquid	163 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1266		PERFUMERY PRODUCTS with flammable solvents (vapour pressure at 50 °C not more than 110 kPa)	3	II	Flammable Liquid	163 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1266		PERFUMERY PRODUCTS with flammable solvents (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)	3	III	Flammable Liquid	163		P001	30 Kgs G	3	(E)	Accepted	
1266		PERFUMERY PRODUCTS with flammable solvents	3	III	Flammable Liquid	163		P001	30 Kgs G	3	(D/E)	Accepted	
1266		PERFUMERY PRODUCTS with flammable solvents (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)	3	III	Flammable Liquid	163		P001	30 Kgs G	3	(E)	Accepted	
1267	PETROLEUM CRUDE OIL		3	I	Flammable Liquid	357		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1267	PETROLEUM CRUDE OIL (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	357 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1267	PETROLEUM CRUDE OIL (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	357 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1267	PETROLEUM CRUDE OIL		3	III	Flammable Liquid	357		P001	30 Kgs G	3	(D/E)	Accepted	
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.		3	I	Flammable Liquid	664	SP664 not applicable to UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S. (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.		3	III	Flammable Liquid	664	SP664 not applicable to UPS	P001	30 Kgs G	3	(D/E)	Accepted	
1272	PINE OIL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1274	n-PROPANOL (PROPYL ALCOHOL, NORMAL)		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1274	n-PROPANOL (PROPYL ALCOHOL, NORMAL)		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1275	PROPIONALDEHYDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1276	n-PROPYL ACETATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1277	PROPYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1278	1-CHLOROPROPANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1279	1,2-DICHLOROPROPANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1280	PROPYLENE OXIDE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1281	PROPYL FORMATES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1282	PYRIDINE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1286	ROSIN OIL (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1286	ROSIN OIL (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1286	ROSIN OIL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1286	ROSIN OIL (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1286	ROSIN OIL (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1287	RUBBER SOLUTION (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1287	RUBBER SOLUTION (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1287	RUBBER SOLUTION		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1287	RUBBER SOLUTION (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1287	RUBBER SOLUTION (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1288	SHALE OIL		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1288	SHALE OIL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1289	SODIUM METHYLATE SOLUTION in alcohol		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1289	SODIUM METHYLATE SOLUTION in alcohol		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
1292	TETRAETHYL SILICATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1293	TINCTURES, MEDICINAL		3	II	Flammable Liquid	601		P001	30 Kgs G	2	(D/E)	Accepted	
1293	TINCTURES, MEDICINAL		3	III	Flammable Liquid	601		P001	30 Kgs G	3	(D/E)	Accepted	
1294	TOLUENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1296	TRIETHYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1297	TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass		3 (8)	I	Flammable Liquid, Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1297	TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1297	TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
1298	TRIMETHYLCHLORO-SILANE		3 (8)	II	Flammable Liquid, Corrosive			P010	30 Kgs G	2	(D/E)	Forbidden	
1299	TURPENTINE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1300	TURPENTINE SUBSTITUTE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1300	TURPENTINE SUBSTITUTE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1301	VINYL ACETATE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1302	VINYL ETHYL ETHER, STABILIZED		3	I	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1303	VINYLDIENE CHLORIDE, STABILIZED		3	I	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1304	VINYL ISOBUTYL ETHER, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1305	VINYLTRICHLOROSILANE		3 (8)	II	Flammable Liquid, Corrosive			P010	30 Kgs G	2	(D/E)	Forbidden	
1306	WOOD PRESERVATIVES, LIQUID (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1306	WOOD PRESERVATIVES, LIQUID (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1306	WOOD PRESERVATIVES, LIQUID		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1306		WOOD PRESERVATIVES, LIQUID (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)	3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1306		WOOD PRESERVATIVES, LIQUID (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)	3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1307		XYLENES	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1307		XYLENES	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1308		ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID	3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1308		ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID (vapour pressure at 50 °C more than 110 kPa)	3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1308		ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID (vapour pressure at 50 °C not more than 110 kPa)	3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1308		ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1309		ALUMINIUM POWDER, COATED	4.1	II	Flammable Solid			P002	30 Kgs G	2	(E)	Accepted	
1309		ALUMINIUM POWDER, COATED	4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
1312		BORNEOL	4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
1313		CALCIUM RESINATE	4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
1314		CALCIUM RESINATE, FUSED	4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
1318		COBALT RESINATE, PRECIPITATED	4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
1323		FERROCERIUM	4.1	II	Flammable Solid	249		P002	30 Kgs G	2	(E)	Accepted	
1324		FILMS, NITROCELLULOSE BASE, gelatin coated, except scrap	4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
1325		FLAMMABLE SOLID, ORGANIC, N.O.S.	Yes	4.1	II	Flammable Solid	274	P002	30 Kgs G	2	(E)	Accepted	
1325		FLAMMABLE SOLID, ORGANIC, N.O.S.	Yes	4.1	III	Flammable Solid	274	P002	30 Kgs G	3	(E)	Accepted	
1326		HAFNIUM POWDER, WETTED with not less than 25% water	4.1	II	Flammable Solid	586		P410	30 Kgs G	2	(E)	Accepted	
1328		HEXAMETHYLENETE-TRAMINE	4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
1330		MANGANESE RESINATE	4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
1331		MATCHES, 'STRIKE ANYWHERE'	4.1	III	Flammable Solid	293		P407	30 Kgs G	4	(E)	Accepted	
1332		METALDEHYDE	4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
1333		CERIUM, slabs, ingots or rods	4.1	II	Flammable Solid			P002	30 Kgs G	2	(E)	Accepted	
1334		NAPHTHALENE, CRUDE or NAPHTHALENE, REFINED	4.1	III	Flammable Solid	501		P002	30 Kgs G	3	(E)	Accepted	
1338		PHOSPHORUS, AMORPHOUS	4.1	III	Flammable Solid			P410	30 Kgs G	3	(E)	Accepted	
1339		PHOSPHORUS HEPTASULPHIDE, free from yellow and white phosphorus	4.1	II	Flammable Solid	602		P410	30 Kgs G	2	(E)	Accepted	
1341		PHOSPHORUS SESQUISULPHIDE, free from yellow and white phosphorus	4.1	II	Flammable Solid	602		P410	30 Kgs G	2	(E)	Accepted	
1343		PHOSPHORUS TRISULPHIDE, free from yellow and white phosphorus	4.1	II	Flammable Solid	602		P410	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1345	RUBBER SCRAP or RUBBER SHODDY, powdered or granulated, not exceeding 840 microns and rubber content exceeding 45 %		4.1	II	Flammable Solid			P002	30 Kgs G	4	(E)	Accepted	
1346	SILICON POWDER, AMORPHOUS		4.1	III	Flammable Solid	32		P002	30 Kgs G	3	(E)	Accepted	
1350	SULPHUR		4.1	III	Flammable Solid	242		P002	30 Kgs G	3	(E)	Accepted	
1352	TITANIUM POWDER, WETTED with not less than 25% water		4.1	II	Flammable Solid	586		P410	30 Kgs G	2	(E)	Accepted	
1353	FIBRES or FABRICS IMPREGNATED WITH WEAKLY NITRATED NITROCELLULOSE, N.O.S.		4.1	III	Flammable Solid	502		P410	30 Kgs G	3	(E)	Accepted	
1358	ZIRCONIUM POWDER, WETTED with not less than 25% water		4.1	II	Flammable Solid	586		P410	30 Kgs G	2	(E)	Accepted	
1361	CARBON, animal or vegetable origin		4.2	II	Spontaneously Combustible			P002	30 Kgs G	2	(D/E)	Forbidden	
1361	CARBON, animal or vegetable origin		4.2	III	Spontaneously Combustible	665		P002	30 Kgs G	4	(E)	Forbidden	
1362	CARBON, ACTIVATED		4.2	III	Spontaneously Combustible	646		P002	30 Kgs G	4	(E)	Forbidden	
1363	COPRA		4.2	III	Spontaneously Combustible			P003	30 Kgs G	3	(E)	Forbidden	
1364	COTTON WASTE, OILY		4.2	III	Spontaneously Combustible			P003	30 Kgs G	3	(E)	Forbidden	
1365	COTTON, WET		4.2	III	Spontaneously Combustible			P003	30 Kgs G	3	(E)	Forbidden	
1369	p-NITROSODIMETHYL-ANILINE		4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden	
1373	FIBRES or FABRICS, ANIMAL or VEGETABLE or SYNTHETIC, N.O.S. with oil		4.2	III	Spontaneously Combustible			P410	30 Kgs G	3	(E)	Forbidden	
1374	FISH MEAL (FISH SCRAP), UNSTABILIZED		4.2	II	Spontaneously Combustible	300	SP300 not accepted by UPS	P410	30 Kgs G	2	(D/E)	Forbidden	
1376	IRON OXIDE, SPENT or IRON SPONGE, SPENT obtained from coal gas purification		4.2	III	Spontaneously Combustible	592	SP592 Not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden	
1378	METAL CATALYST, WETTED with a visible excess of liquid	Yes	4.2	II	Spontaneously Combustible	274		P410	30 Kgs G	2	(D/E)	Forbidden	
1379	PAPER, UNSATURATED OIL TREATED, incompletely dried (including carbon paper)		4.2	III	Spontaneously Combustible			P410	30 Kgs G	3	(E)	Forbidden	
1382	POTASSIUM SULPHIDE, ANHYDROUS or POTASSIUM SULPHIDE with less than 30% water of crystallization		4.2	II	Spontaneously Combustible	504		P410	30 Kgs G	2	(D/E)	Forbidden	
1384	SODIUM DITHIONITE (SODIUM HYDROSULPHITE)		4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden	
1385	SODIUM SULPHIDE, ANHYDROUS or SODIUM SULPHIDE with less than 30% water of crystallization		4.2	II	Spontaneously Combustible	504		P410	30 Kgs G	2	(D/E)	Forbidden	
1386	SEED CAKE with more than 1.5% oil and not more than 11% moisture		4.2	III	Spontaneously Combustible			P003	30 Kgs G	3	(E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1431	SODIUM METHYLATE		4.2 (8)	II	Spontaneously Combustible, Corrosive			P410	30 Kgs G	2	(D/E)	Forbidden	
1437	ZIRCONIUM HYDRIDE		4.1	II	Flammable Solid			P410	30 Kgs G	2	(E)	Forbidden	
1438	ALUMINIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1439	AMMONIUM DICHROMATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Forbidden	
1442	AMMONIUM PERCHLORATE		5.1	II	Oxidizer	152		P002	30 Kgs G	2	(E)	Forbidden	
1444	AMMONIUM PERSULPHATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1445	BARIUM CHLORATE, SOLID		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
1446	BARIUM NITRATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
1447	BARIUM PERCHLORATE, SOLID		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
1448	BARIUM PERMANGANATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
1449	BARIUM PEROXIDE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
1450	BROMATES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	274 350		P002	30 Kgs G	2	(E)	Accepted	
1451	CAESIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1452	CALCIUM CHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1453	CALCIUM CHLORITE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Forbidden	
1454	CALCIUM NITRATE		5.1	III	Oxidizer	208		P002	30 Kgs G	3	(E)	Accepted	
1455	CALCIUM PERCHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1456	CALCIUM PERMANGANATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1457	CALCIUM PEROXIDE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1458	CHLORATE AND BORATE MIXTURE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1458	CHLORATE AND BORATE MIXTURE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1459	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1459	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1461	CHLORATES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	274 351		P002	30 Kgs G	2	(E)	Accepted	
1462	CHLORITES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	274 352 509		P002	30 Kgs G	2	(E)	Forbidden	
1463	CHROMIUM TRIOXIDE, ANHYDROUS		5.1 (6.1, 8)	II	Oxidizer, Toxic, Corrosive	510		P002	30 Kgs G	2	(E)	Forbidden	
1465	DIDYMIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1466	FERRIC NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1467	GUANIDINE NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1469	LEAD NITRATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
1470	LEAD PERCHLORATE, SOLID		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
1471	LITHIUM HYPOCHLORITE, DRY or LITHIUM HYPOCHLORITE MIXTURE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1471	LITHIUM HYPOCHLORITE, DRY or LITHIUM HYPOCHLORITE MIXTURE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1472	LITHIUM PEROXIDE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1473	MAGNESIUM BROMATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1474	MAGNESIUM NITRATE		5.1	III	Oxidizer	332		P002	30 Kgs G	3	(E)	Accepted	
1475	MAGNESIUM PERCHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1476	MAGNESIUM PEROXIDE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1477	NITRATES, INORGANIC, N.O.S.		5.1	II	Oxidizer	511		P002	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1477	NITRATES, INORGANIC, N.O.S.		5.1	III	Oxidizer	511		P002	30 Kgs G	3	(E)	Accepted	
1479	OXIDIZING SOLID, N.O.S.	Yes	5.1	I	Oxidizer	274		P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
1479	OXIDIZING SOLID, N.O.S.	Yes	5.1	II	Oxidizer	274		P002	30 Kgs G	2	(E)	Accepted	
1479	OXIDIZING SOLID, N.O.S.	Yes	5.1	III	Oxidizer	274		P002	30 Kgs G	3	(E)	Accepted	
1481	PERCHLORATES, INORGANIC, N.O.S.		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1481	PERCHLORATES, INORGANIC, N.O.S.		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1482	PERMANGANATES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	274 353		P002	30 Kgs G	2	(E)	Accepted	
1482	PERMANGANATES, INORGANIC, N.O.S.	Yes	5.1	III	Oxidizer	274 353		P002	30 Kgs G	3	(E)	Accepted	
1483	PEROXIDES, INORGANIC, N.O.S.		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1483	PEROXIDES, INORGANIC, N.O.S.		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1484	POTASSIUM BROMATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1485	POTASSIUM CHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1486	POTASSIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1487	POTASSIUM NITRATE AND SODIUM NITRITE MIXTURE		5.1	II	Oxidizer	607		P002	30 Kgs G	2	(E)	Accepted	
1488	POTASSIUM NITRITE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1489	POTASSIUM PERCHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1490	POTASSIUM PERMANGANATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1491	POTASSIUM PEROXIDE		5.1	I	Oxidizer			P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
1492	POTASSIUM PERSULPHATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1493	SILVER NITRATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1494	SODIUM BROMATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1495	SODIUM CHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1496	SODIUM CHLORITE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Forbidden	
1498	SODIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1499	SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1500	SODIUM NITRITE		5.1 (6.1)	III	Oxidizer, Toxic			P002	30 Kgs G	3	(E)	Forbidden	
1502	SODIUM PERCHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1503	SODIUM PERMANGANATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1504	SODIUM PEROXIDE		5.1	I	Oxidizer			P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
1505	SODIUM PERSULPHATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1506	STRONTIUM CHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1507	STRONTIUM NITRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
1508	STRONTIUM PERCHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1509	STRONTIUM PEROXIDE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1511	UREA HYDROGEN PEROXIDE		5.1 (8)	III	Oxidizer, Corrosive			P002	30 Kgs G	3	(E)	Forbidden	
1512	ZINC AMMONIUM NITRITE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1513	ZINC CHLORATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1514	ZINC NITRATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1515	ZINC PERMANGANATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1516	ZINC PEROXIDE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
1544	ALKALOIDS, SOLID, N.O.S. or ALKALOID SALTS, SOLID, N.O.S.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Accepted	
1544	ALKALOIDS, SOLID, N.O.S. or ALKALOID SALTS, SOLID, N.O.S.	Yes	6.1	III	Toxic	43 274		P002	30 Kgs G	2	(E)	Accepted	
1545	ALLYL ISOTHIOCYANATE, STABILIZED		6.1 (3)	II	Toxic, Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Forbidden	
1546	AMMONIUM ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1547	ANILINE		6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted	
1548	ANILINE HYDROCHLORIDE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
1549	ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.	Yes	6.1	III	Toxic	45 274 512		P002	30 Kgs G	2	(E)	Accepted	
1550	ANTIMONY LACTATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
1551	ANTIMONY POTASSIUM TARTRATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
1554	ARSENIC ACID, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1555	ARSENIC BROMIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1556	ARSENIC COMPOUND, LIQUID, N.O.S., inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	Yes	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Forbidden	
1556	ARSENIC COMPOUND, LIQUID, N.O.S., inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	Yes	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Forbidden	
1557	ARSENIC COMPOUND, SOLID, N.O.S., inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Forbidden	
1557	ARSENIC COMPOUND, SOLID, N.O.S., inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	Yes	6.1	III	Toxic	43 274		P002	30 Kgs G	2	(E)	Forbidden	
1558	ARSENIC		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1559	ARSENIC PENTOXIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1561	ARSENIC TRIOXIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1562	ARSENICAL DUST		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1564	BARIUM COMPOUND, N.O.S.	Yes	6.1	II	Toxic	177 274 513 587		P002	30 Kgs G	2	(D/E)	Accepted	
1564	BARIUM COMPOUND, N.O.S.	Yes	6.1	III	Toxic	177 274 513 587		P002	30 Kgs G	2	(E)	Accepted	
1566	BERYLLIUM COMPOUND, N.O.S.	Yes	6.1	II	Toxic	274 514		P002	30 Kgs G	2	(D/E)	Forbidden	
1566	BERYLLIUM COMPOUND, N.O.S.	Yes	6.1	III	Toxic	274 514		P002	30 Kgs G	2	(E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1567	BERYLLIUM POWDER		6.1 (4.1)	II	Toxic, Flammable Solid			P002	30 Kgs G	2	(D/E)	Forbidden	
1569	BROMOACETONE		6.1 (3)	II	Toxic, Flammable Liquid			P602	30 Kgs G or 15 Kgs G for some packaging.	2	(D/E)	Forbidden	
1572	CACODYLIC ACID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1573	CALCIUM ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1574	CALCIUM ARSENATE AND CALCIUM ARSENITE MIXTURE, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1577	CHLORODINITRO-BENZENES, LIQUID		6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted	
1578	CHLORONITROBENZENES, SOLID		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted	
1579	4-CHLORO- <i>o</i> -TOLUIDINE HYDROCHLORIDE, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
1583	CHLOROPICRIN MIXTURE, N.O.S.	Yes	6.1	II	Toxic	274 515		P001	30 Kgs G	2	(D/E)	Accepted	
1583	CHLOROPICRIN MIXTURE, N.O.S.	Yes	6.1	III	Toxic	274 515		P001	30 Kgs G	2	(E)	Accepted	
1585	COPPER ACETOARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1586	COPPER ARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1587	COPPER CYANIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1588	CYANIDES, INORGANIC, SOLID, N.O.S.	Yes	6.1	II	Toxic	47 274		P002	30 Kgs G	2	(D/E)	Forbidden	
1588	CYANIDES, INORGANIC, SOLID, N.O.S.	Yes	6.1	III	Toxic	47 274		P002	30 Kgs G	2	(E)	Forbidden	
1590	DICHLOROANILINES, LIQUID		6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted	
1591	<i>o</i> -DICHLOROBENZENE		6.1	III	Toxic	279		P001	30 Kgs G	2	(E)	Accepted	
1593	DICHLOROMETHANE		6.1	III	Toxic	516		P001	30 Kgs G	2	(E)	Accepted	
1594	DIETHYL SULPHATE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1596	DINITROANILINES		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
1597	DINITROBENZENES, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1597	DINITROBENZENES, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
1598	DINITRO- <i>o</i> -CRESOL		6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Accepted	
1599	DINITROPHENOL SOLUTION		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1599	DINITROPHENOL SOLUTION		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
1601	DISINFECTANT, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted	
1601	DISINFECTANT, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted	
1602	DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Accepted	
1602	DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Accepted	
1603	ETHYL BROMOACETATE		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
1604	ETHYLENEDIAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
1606	FERRIC ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1607	FERRIC ARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1608	FERROUS ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1611	HEXAETHYL TETRAPHOSPHATE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1616	LEAD ACETATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1617	LEAD ARSENATES		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1618	LEAD ARSENITES		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1620	LEAD CYANIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1621	LONDON PURPLE		6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Forbidden	
1622	MAGNESIUM ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1623	MERCURIC ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1624	MERCURIC CHLORIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1625	MERCURIC NITRATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1627	MERCUROUS NITRATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1629	MERCURY ACETATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1630	MERCURY AMMONIUM CHLORIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1631	MERCURY BENZOATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1634	MERCURY BROMIDES		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1636	MERCURY CYANIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1637	MERCURY GLUCONATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1638	MERCURY IODIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1639	MERCURY NUCLEATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1640	MERCURY OLEATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1641	MERCURY OXIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1642	MERCURY OXYCYANIDE, DESENSITIZED		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1643	MERCURY POTASSIUM IODIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1644	MERCURY SALICYLATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1645	MERCURY SULPHATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1646	MERCURY THIOCYANATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1648	ACETONITRILE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1650	beta-NAPHTHYLAMINE, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
1651	NAPHTHYLTHIOUREA		6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Accepted	
1652	NAPHTHYLUREA		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
1653	NICKEL CYANIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1654	NICOTINE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1655	NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.	Yes	6.1	I	Toxic	43 274		P002	30 Kgs G and 10 Kgs net per package.	1	(C/E)	Forbidden	
1655	NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Accepted	
1655	NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.	Yes	6.1	III	Toxic	43 274		P002	30 Kgs G	2	(E)	Accepted	
1656	NICOTINE HYDROCHLORIDE, LIQUID or SOLUTION		6.1	II	Toxic	43		P001	30 Kgs G	2	(D/E)	Accepted	
1656	NICOTINE HYDROCHLORIDE, LIQUID or SOLUTION		6.1	III	Toxic	43		P001	30 Kgs G	2	(E)	Accepted	
1657	NICOTINE SALICYLATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
1658	NICOTINE SULPHATE, SOLUTION		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1658	NICOTINE SULPHATE, SOLUTION		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
1659	NICOTINE TARTRATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
1661	NITROANILINES (o-, m-, p-)		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted	
1662	NITROBENZENE		6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted	
1663	NITROPHENOLS (o-, m-, p-)		6.1	III	Toxic	279		P002	30 Kgs G	2	(E)	Accepted	
1664	NITROTOLUENES, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1665	NITROXYLENES, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1669	PENTACHLOROETHANE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1671	PHENOL, SOLID		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted	
1673	PHENYLENEDIAMINES (o-, m-, p-)		6.1	III	Toxic	279		P002	30 Kgs G	2	(E)	Accepted	
1674	PHENYLMERCURIC ACETATE		6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Forbidden	
1677	POTASSIUM ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1678	POTASSIUM ARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1679	POTASSIUM CUPROCYANIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1683	SILVER ARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1684	SILVER CYANIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1685	SODIUM ARSENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1686	SODIUM ARSENITE, AQUEOUS SOLUTION		6.1	II	Toxic	43		P001	30 Kgs G	2	(D/E)	Forbidden	
1686	SODIUM ARSENITE, AQUEOUS SOLUTION		6.1	III	Toxic	43		P001	30 Kgs G	2	(E)	Forbidden	
1687	SODIUM AZIDE		6.1	II	Toxic			P002	30 Kgs G	2	(E)	Forbidden	
1688	SODIUM CACODYLATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1690	SODIUM FLUORIDE, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
1691	STRONTIUM ARSENITE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1693	TEAR GAS SUBSTANCE, LIQUID, N.O.S.	Yes	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Accepted	
1697	CHLOROACETOPHENONE, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
1700	TEAR GAS CANDLES		6.1 (4.1)		Toxic, Flammable Solid			P600	30 Kgs G	2	(E)	Forbidden	
1701	XYLYL BROMIDE, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1702	1,1,2,2-TETRACHLOROETHANE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1704	TETRAETHYL DITHIOPYROPHOSPHATE		6.1	II	Toxic	43		P001	30 Kgs G	2	(D/E)	Accepted	
1707	THALLIUM COMPOUND, N.O.S.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Forbidden	
1708	TOLUIDINES, LIQUID		6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted	
1709	2,4-TOLUYLENEDIAMINE, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
1710	TRICHLOROETHYLENE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
1711	XYLIDINES, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1712	ZINC ARSENATE, ZINC ARSENITE or ZINC ARSENATE AND ZINC ARSENITE MIXTURE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1715	ACETIC ANHYDRIDE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
1716	ACETYL BROMIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1717	ACETYL CHLORIDE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1718	BUTYL ACID PHOSPHATE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1719	CAUSTIC ALKALI LIQUID, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted	
1719	CAUSTIC ALKALI LIQUID, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted	
1723	ALLYL IODIDE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1724	ALLYLTRICHLOROSILANE, STABILIZED		8 (3)	II	Corrosive, Flammable Liquid	386 676	SP386 not accepted by UPS	P010	30 Kgs G	2	(D/E)	Forbidden	
1725	ALUMINIUM BROMIDE, ANHYDROUS		8	II	Corrosive	588		P002	30 Kgs G	2	(E)	Accepted	
1726	ALUMINIUM CHLORIDE, ANHYDROUS		8	II	Corrosive	588		P002	30 Kgs G	2	(E)	Accepted	
1727	AMMONIUM HYDROGENDIFLUORIDE, SOLID		8	II	Corrosive			P002	30 Kgs G	2	(E)	Forbidden	
1728	AMYLTRICHLOROSILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1729			8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1730			8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1731			8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1731			8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1732			8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden	
1733			8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1736			8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1737			6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1738			6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1739			8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
1740			8	II	Corrosive	517		P002	30 Kgs G	2	(E)	Forbidden	
1740			8	III	Corrosive	517		P002	30 Kgs G	3	(E)	Forbidden	
1742			8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1743			8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1747			8 (3)	II	Corrosive, Flammable Liquid			P010	30 Kgs G	2	(D/E)	Forbidden	
1748			5.1	III	Oxidizer	316		P002	30 Kgs G	3	(E)	Accepted	
1750			6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1751			6.1 (8)	II	Toxic, Corrosive			P002	30 Kgs G	2	(D/E)	Forbidden	
1753			8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1754			8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
1755			8	II	Corrosive	518		P001	30 Kgs G	2	(E)	Accepted	
1755			8	III	Corrosive	518		P001	30 Kgs G	3	(E)	Accepted	
1756			8	II	Corrosive			P002	30 Kgs G	2	(E)	Forbidden	
1757			8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1757			8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1758			8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
1759		Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
1759		Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted	
1759		Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted	
1760		Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
1760		Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted	
1760		Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted	
1761			8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden	
1761			8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1762	CYCLOHEXYLTRICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1763	CYCLOHEXYLTRICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1764	DICHLOROACETIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1765	DICHLOROACETYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1766	DICHLOROPHENYL-TRICHLOROSILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1767	DIETHYLDICHLORO-SILANE		8 (3)	II	Corrosive, Flammable Liquid			P010	30 Kgs G	2	(D/E)	Forbidden	
1768	DIFLUOROPHOSPHORIC ACID, ANHYDROUS		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1769	DIPHENYLDICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1770	DIPHENYLMETHYL BROMIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1771	DODECYLTRICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1773	FERRIC CHLORIDE, ANHYDROUS		8	III	Corrosive	590		P002	30 Kgs G	3	(E)	Accepted	
1774	FIRE EXTINGUISHER CHARGES, corrosive liquid		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1775	FLUOROBORIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1776	FLUOROPHOSPHORIC ACID, ANHYDROUS		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1777	FLUOROSULPHONIC ACID		8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
1778	FLUOROSILICIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1779	FORMIC ACID with more than 85% acid by mass		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
1780	FUMARYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1781	HEXADECYLTRICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1782	HEXAFLUORO-PHOSPHORIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1783	HEXAMETHYLENE-DIAMINE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1783	HEXAMETHYLENE-DIAMINE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1784	HEXYLTRICHLOROSILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1787	HYDRIODIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1787	HYDRIODIC ACID		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1788	HYDROBROMIC ACID		8	II	Corrosive	519		P001	30 Kgs G	2	(E)	Accepted	
1788	HYDROBROMIC ACID		8	III	Corrosive	519		P001	30 Kgs G	3	(E)	Accepted	
1789	HYDROCHLORIC ACID		8	II	Corrosive	520		P001	30 Kgs G	2	(E)	Accepted	
1789	HYDROCHLORIC ACID		8	III	Corrosive	520		P001	30 Kgs G	3	(E)	Accepted	
1790	HYDROFLUORIC ACID with not more than 60% hydrogen fluoride		8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden	
1791	HYPOCHLORITE SOLUTION		8	II	Corrosive	521		P001	30 Kgs G	2	(E)	Accepted	
1791	HYPOCHLORITE SOLUTION		8	III	Corrosive	521		P001	30 Kgs G	3	(E)	Accepted	
1792	IODINE MONOCHLORIDE, SOLID		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1793	ISOPROPYL ACID PHOSPHATE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1794	LEAD SULPHATE with more than 3% free acid		8	II	Corrosive	591		P002	30 Kgs G	2	(E)	Forbidden	
1796	NITRATING ACID MIXTURE with not more than 50% nitric acid		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden	
1799	NONYLTRICHLOROSILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1800	OCTADECYLTRICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1801	OCTYLTRICHLOROSILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1802	PERCHLORIC ACID with not more than 50% acid, by mass		8 (5.1)	II	Corrosive, Oxidizer	522		P001	30 Kgs G	2	(E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1803	PHENOLSULPHONIC ACID, LIQUID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1804	PHENYLTRICHLORO-SILANE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1805	PHOSPHORIC ACID, SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1806	PHOSPHORUS PENTACHLORIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1807	PHOSPHORUS PENTOXIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1808	PHOSPHORUS TRIBROMIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1811	POTASSIUM HYDROGENDIFLUORIDE, SOLID		8 (6.1)	II	Corrosive, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
1812	POTASSIUM FLUORIDE, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
1813	POTASSIUM HYDROXIDE, SOLID		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1814	POTASSIUM HYDROXIDE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1814	POTASSIUM HYDROXIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1815	PROPIONYL CHLORIDE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1816	PROPYLTRICHLORO-SILANE		8 (3)	II	Corrosive, Flammable Liquid			P010	30 Kgs G	2	(D/E)	Forbidden	
1817	PYROSULPHURYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1818	SILICON TETRACHLORIDE		8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
1819	SODIUM ALUMINATE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1819	SODIUM ALUMINATE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1823	SODIUM HYDROXIDE, SOLID		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1824	SODIUM HYDROXIDE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	1824II
1824	SODIUM HYDROXIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1825	SODIUM MONOXIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1826	NITRATING ACID MIXTURE, SPENT, with not more than 50% nitric acid		8	II	Corrosive	113		P001	30 Kgs G	2	(E)	Forbidden	
1827	STANNIC CHLORIDE, ANHYDROUS		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1828	SULPHUR CHLORIDES		8	I	Corrosive			P602	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
1829	SULPHUR TRIOXIDE, STABILIZED		8	I	Corrosive	386 623 676	SP386 and SP623 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
1830	SULPHURIC ACID with more than 51% acid		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden	
1832	SULPHURIC ACID, SPENT		8	II	Corrosive	113		P001	30 Kgs G	2	(E)	Forbidden	
1833	SULPHUROUS ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden	
1835	TETRAMETHYL-AMMONIUM HYDROXIDE AQUEOUS SOLUTION with more than 2.5 % but less than 25 % tetramethylammonium hydroxide		8	II	Corrosive	279 408		P001	30 Kgs G	2	(E)	Accepted	
1835	TETRAMETHYL-AMMONIUM HYDROXIDE AQUEOUS SOLUTION with not more than 2.5 % tetramethylammonium hydroxide		8	III	Corrosive	408		P001	30 Kgs G	3	(E)	Accepted	
1836	THIONYL CHLORIDE		8	I	Corrosive			P802	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
1837	THIOPHOSPHORYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1839	TRICHLOROACETIC ACID		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1840	ZINC CHLORIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1841	ACETALDEHYDE AMMONIA		9	III	Miscellaneous			P002	30 Kgs G	3	(E)	Forbidden	
1843	AMMONIUM DINITRO-o-CRESOLATE, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
1845	CARBON DIOXIDE, SOLID (DRY ICE)				May not be regulated by ADR when shipped by UPS Standard (ground) service.								
1846	CARBON TETRACHLORIDE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1847	POTASSIUM SULPHIDE, HYDRATED with not less than 30% water of crystallization		8	II	Corrosive	523		P002	30 Kgs G	2	(E)	Accepted	
1848	PROPIONIC ACID with not less than 10% and less than 90% acid by mass		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1849	SODIUM SULPHIDE, HYDRATED with not less than 30% water		8	II	Corrosive	523		P002	30 Kgs G	2	(E)	Accepted	
1851	MEDICINE, LIQUID, TOXIC, N.O.S.		6.1	II	Toxic	221 601		P001	30 Kgs G	2	(D/E)	Accepted	
1851	MEDICINE, LIQUID, TOXIC, N.O.S.		6.1	III	Toxic	221 601		P001	30 Kgs G	2	(E)	Accepted	
1858	HEXAFLUOROPROPYLENE (REFRIGERANT GAS R 1216)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
1860	VINYL FLUORIDE, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
1862	ETHYL CROTONATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
1863	FUEL, AVIATION, TURBINE ENGINE		3	I	Flammable Liquid	664	SP664 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1863	FUEL, AVIATION, TURBINE ENGINE (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1863	FUEL, AVIATION, TURBINE ENGINE (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D 664	SP640 and SP664 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1863	FUEL, AVIATION, TURBINE ENGINE		3	III	Flammable Liquid	664	SP664 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted	
1865	n-PROPYL NITRATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(E)	Accepted	
1866	RESIN SOLUTION, flammable		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1866	RESIN SOLUTION, flammable (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1866	RESIN SOLUTION, flammable (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1866	RESIN SOLUTION, flammable		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1866	RESIN SOLUTION, flammable (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1866	RESIN SOLUTION, flammable (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1868	DECABORANE		4.1 (6.1)	II	Flammable Solid, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
1869	MAGNESIUM or MAGNESIUM ALLOYS with more than 50% magnesium in pellets, turnings or ribbons		4.1	III	Flammable Solid	59		P002	30 Kgs G	3	(E)	Accepted	
1871	TITANIUM HYDRIDE		4.1	II	Flammable Solid			P410	30 Kgs G	2	(E)	Forbidden	
1872	LEAD DIOXIDE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Forbidden	
1873	PERCHLORIC ACID with more than 50% but not more than 72% acid, by mass		5.1 (8)	I	Oxidizer, Corrosive	60		P502	30 Kgs G and 10 Kgs net per package.	1	(B/E)	Forbidden	
1884	BARIUM OXIDE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
1885	BENZIDINE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
1886	BENZYLIDENE CHLORIDE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
1887	BROMOCHLOROMETHANE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
1888	CHLOROFORM		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
1891	ETHYL BROMIDE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
1894	PHENYLMERCURIC HYDROXIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1895	PHENYLMERCURIC NITRATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
1897	TETRACHLOROETHYLENE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
1898	ACETYL IODIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1902	DIISOCTYL ACID PHOSPHATE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1903	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
1903	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted	
1903	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted	
1905	SELENIC ACID		8	I	Corrosive			P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
1906	SLUDGE ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden	
1907	SODA LIME with more than 4% sodium hydroxide		8	III	Corrosive	62		P002	30 Kgs G	3	(E)	Accepted	
1908	CHLORITE SOLUTION		8	II	Corrosive	521		P001	30 Kgs G	2	(E)	Accepted	
1908	CHLORITE SOLUTION		8	III	Corrosive	521		P001	30 Kgs G	3	(E)	Accepted	
1910	CALCIUM OXIDE				May not be regulated by ADR when shipped by UPS Standard (ground) service.								

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1912	METHYL CHLORIDE AND METHYLENE CHLORIDE MIXTURE		2.1		Flammable Gas	228 662		P200	30 Kgs G	2	(B/D)	Forbidden	
1914	BUTYL PROPIONATES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1915	CYCLOHEXANONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1916	2,2'-DICHLORODIETHYL ETHER		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
1917	ETHYL ACRYLATE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1918	ISOPROPYLBENZENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1919	METHYL ACRYLATE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1920	NONANES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1921	PROPYLENEIMINE, STABILIZED		3 (6.1)	I	Flammable Liquid, Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1922	PYRROLIDINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
1923	CALCIUM DITHIONITE (CALCIUM HYDROSULPHITE)		4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden	
1929	POTASSIUM DITHIONITE (POTASSIUM HYDROSULPHITE)		4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden	
1931	ZINC DITHIONITE (ZINC HYDROSULPHITE)		9	III	Miscellaneous			P002	30 Kgs G	3	(E)	Accepted	
1932	ZIRCONIUM SCRAP		4.2	III	Spontaneously Combustible	524 592	SP592 Not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden	
1935	CYANIDE SOLUTION, N.O.S.	Yes	6.1	II	Toxic	274 525		P001	30 Kgs G	2	(D/E)	Forbidden	
1935	CYANIDE SOLUTION, N.O.S.	Yes	6.1	III	Toxic	274 525		P001	30 Kgs G	2	(E)	Forbidden	
1938	BROMOACETIC ACID SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1938	BROMOACETIC ACID SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
1939	PHOSPHORUS OXYBROMIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
1940	THIOGLYCOLIC ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
1941	DIBROMODIFLUORO-METHANE		9	III	Miscellaneous			P001	30 Kgs G	3	(E)	Accepted	
1942	AMMONIUM NITRATE with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance		5.1	III	Oxidizer	306 611	SP611 not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden	
1944	MATCHES, SAFETY (book, card or strike on box)		4.1	III	Flammable Solid	293		P407	30 Kgs G	4	(E)	Accepted	
1945	MATCHES, WAX 'VESTA'		4.1	III	Flammable Solid	293		P407	30 Kgs G	4	(E)	Accepted	
1950	AEROSOLS, flammable		2.1		Flammable Gas	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G	2	(D)	Accepted	
1950	AEROSOLS, flammable, corrosive		2.1 (8)		Flammable Gas, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1950	AEROSOLS, toxic, flammable		2.1 (6.1)		Flammable Gas, Toxic	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden	
1950	AEROSOLS, toxic, flammable, corrosive		2.1 (6.1, 8)		Flammable Gas, Toxic, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden	
1950	AEROSOLS, asphyxiant		2.2		Non-Flammable Gas	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G	3	(E)	Accepted	
1950	AEROSOLS, oxidizing		2.2 (5.1)		Non-Flammable Gas, Oxidizer	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G	3	(E)	Accepted	
1950	AEROSOLS, corrosive, oxidizing		2.2 (5.1, 8)		Non-Flammable Gas, Oxidizer, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
1950	AEROSOLS, corrosive		2.2 (8)		Non-Flammable Gas, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(E)	Accepted	
1950	AEROSOLS, toxic, oxidizing		2.2 (5.1, 6.1)		Non-Flammable Gas, Oxidizer, Toxic	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden	
1950	AEROSOLS, toxic, oxidizing, corrosive		2.2 (5.1, 6.1, 8)		Non-Flammable Gas, Oxidizer, Toxic, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden	
1950	AEROSOLS, toxic		2.2 (6.1)		Non-Flammable Gas, Toxic	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Accepted	
1950	AEROSOLS, toxic, corrosive		2.2 (6.1, 8)		Non-Flammable Gas, Toxic, Corrosive	190 327 344 625	SP327 Not accepted by UPS	P207	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden	
1952	ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with not more than 9% ethylene oxide		2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted	
1954	COMPRESSED GAS, FLAMMABLE, N.O.S.	Yes	2.1		Flammable Gas	274 392 662		P200	30 Kgs G	2	(B/D)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1956	COMPRESSED GAS, N.O.S.	Yes	2.2		Non-Flammable Gas	274 378 392 655 662		P200	30 Kgs G	3	(E)	Accepted	
1957	DEUTERIUM, COMPRESSED		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
1958	1,2-DICHLORO-1,1,2,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 114)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
1959	1,1-DIFLUOROETHYLENE (REFRIGERANT GAS R 1132a)		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
1962	ETHYLENE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
1964	HYDROCARBON GAS MIXTURE, COMPRESSED, N.O.S.	Yes	2.1		Flammable Gas	274 662		P200	30 Kgs G	2	(B/D)	Forbidden	
1965	HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. such as mixtures A, A01, A02, A0, A1, B1, B2, B or C	Yes	2.1		Flammable Gas	274 392 583 652 662 674	SP652 Not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
1968	INSECTICIDE GAS, N.O.S.	Yes	2.2		Non-Flammable Gas	274 662		P200	30 Kgs G	3	(C/E)	Accepted	
1969	ISOBUTANE		2.1		Flammable Gas	392 657 662		P200	30 Kgs G	2	(B/D)	Forbidden	
1971	METHANE, COMPRESSED or NATURAL GAS, COMPRESSED with high methane content		2.1		Flammable Gas	392 662		P200	30 Kgs G	2	(B/D)	Forbidden	
1973	CHLORODIFLUORO-METHANE AND CHLOROPENTAFLURO-ETHANE MIXTURE with fixed boiling point, with approximately 49% chlorodifluoromethane (REFRIGERANT GAS R 502)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
1974	CHLORODIFLUOROBROMO-METHANE (REFRIGERANT GAS R 12B1)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
1976	OCTAFLUROCYCLO-BUTANE (REFRIGERANT GAS RC 318)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
1978	PROPANE		2.1		Flammable Gas	392 652 657 662 664	SP652 Not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
1982	TETRAFLUROMETHANE (REFRIGERANT GAS R 14)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
1983	1-CHLORO-2,2,2-TRIFLUOROETHANE (REFRIGERANT GAS R 133a)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
1984	TRIFLUOROMETHANE (REFRIGERANT GAS R 23)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1986	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	I	Flammable Liquid, Toxic	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1986	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	II	Flammable Liquid, Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden	
1986	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	III	Flammable Liquid, Toxic	274		P001	30 Kgs G	3	(D/E)	Forbidden	
1987	ALCOHOLS, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	Yes	3	II	Flammable Liquid	274 601 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1987	ALCOHOLS, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	II	Flammable Liquid	274 601 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1987	ALCOHOLS, N.O.S.	Yes	3	III	Flammable Liquid	274 601		P001	30 Kgs G	3	(D/E)	Accepted	
1988	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	I	Flammable Liquid, Toxic	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1988	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	II	Flammable Liquid, Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden	
1988	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	III	Flammable Liquid, Toxic	274		P001	30 Kgs G	3	(D/E)	Forbidden	
1989	ALDEHYDES, N.O.S.	Yes	3	I	Flammable Liquid	274		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1989	ALDEHYDES, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	Yes	3	II	Flammable Liquid	274 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1989	ALDEHYDES, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	II	Flammable Liquid	274 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1989	ALDEHYDES, N.O.S.	Yes	3	III	Flammable Liquid	274		P001	30 Kgs G	3	(D/E)	Accepted	
1990	BENZALDEHYDE		9	III	Miscellaneous			P001	30 Kgs G	3	(E)	Accepted	
1991	CHLOROPRENE, STABILIZED		3 (6.1)	I	Flammable Liquid, Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1992	FLAMMABLE LIQUID, TOXIC, N.O.S.	Yes	3 (6.1)	I	Flammable Liquid, Toxic	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
1992	FLAMMABLE LIQUID, TOXIC, N.O.S.	Yes	3 (6.1)	II	Flammable Liquid, Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden	
1992	FLAMMABLE LIQUID, TOXIC, N.O.S.	Yes	3 (6.1)	III	Flammable Liquid, Toxic	274		P001	30 Kgs G	3	(D/E)	Forbidden	
1993	FLAMMABLE LIQUID, N.O.S.	Yes	3	I	Flammable Liquid	274		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
1993	FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	Yes	3	II	Flammable Liquid	274 601 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
1993	FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	II	Flammable Liquid	274 601 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1993	FLAMMABLE LIQUID, N.O.S.	Yes	3	III	Flammable Liquid	274 601		P001	30 Kgs G	3	(D/E)	Accepted	
1993	FLAMMABLE LIQUID, N.O.S. (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)	Yes	3	III	Flammable Liquid	274 601		P001	30 Kgs G	3	(E)	Accepted	
1993	FLAMMABLE LIQUID, N.O.S. (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	III	Flammable Liquid	274 601		P001	30 Kgs G	3	(E)	Accepted	
1999	TARS, LIQUID, including road oils, and cutback bitumens (vapour pressure at 50 °C more than 110 kPa)		3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1999	TARS, LIQUID, including road oils, and cutback bitumens (vapour pressure at 50 °C not more than 110 kPa)		3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
1999	TARS, LIQUID, including road oils, and cutback bitumens		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
1999	TARS, LIQUID, including road oils, and cutback bitumens (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
1999	TARS, LIQUID, including road oils, and cutback bitumens (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa)		3	III	Flammable Liquid			P001	30 Kgs G	3	(E)	Accepted	
2000	CELLULOID in block, rods, rolls, sheets, tubes, etc., except scrap		4.1	III	Flammable Solid	383 502		P002	30 Kgs G	3	(E)	Accepted	
2001	COBALT NAPHTHENATES, POWDER		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
2002	CELLULOID, SCRAP		4.2	III	Spontaneously Combustible	526 592	SP592 Not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden	
2004	MAGNESIUM DIAMIDE		4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden	
2006	PLASTICS, NITROCELLULOSE-BASED, SELF-HEATING, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274 528		P002	30 Kgs G	3	(E)	Forbidden	
2008	ZIRCONIUM POWDER, DRY		4.2	II	Spontaneously Combustible	524 540		P410	30 Kgs G	2	(D/E)	Forbidden	
2008	ZIRCONIUM POWDER, DRY		4.2	III	Spontaneously Combustible	524 540		P002	30 Kgs G	3	(E)	Forbidden	
2009	ZIRCONIUM, DRY, finished sheets, strip or coiled wire		4.2	III	Spontaneously Combustible	524 592	SP592 Not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden	
2015	HYDROGEN PEROXIDE, STABILIZED or HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 70% hydrogen peroxide		5.1 (8)	I	Oxidizer, Corrosive	640N	SP640 not applicable to UPS	P501	30 Kgs G and 10 Kgs net per package.	1	(B/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2015		HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 60% hydrogen peroxide and not more than 70% hydrogen peroxide	5.1 (8)	I	Oxidizer, Corrosive	6400	SP640 not applicable to UPS	P501	30 Kgs G and 10 Kgs net per package.	1	(B/E)	Forbidden	
2018		CHLOROANILINES, SOLID	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2019		CHLOROANILINES, LIQUID	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2020		CHLOROPHENOLS, SOLID	6.1	III	Toxic	205		P002	30 Kgs G	2	(E)	Accepted	
2021		CHLOROPHENOLS, LIQUID	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2022		CRESYLIC ACID	6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2023		EPICHLOROHYDRIN	6.1 (3)	II	Toxic, Flammable Liquid	279		P001	30 Kgs G	2	(D/E)	Forbidden	
2024		MERCURY COMPOUND, LIQUID, N.O.S.	Yes	6.1	II	Toxic	274	P001	30 Kgs G	2	(D/E)	Forbidden	
2024		MERCURY COMPOUND, LIQUID, N.O.S.	Yes	6.1	III	Toxic	274	P001	30 Kgs G	2	(E)	Forbidden	
2025		MERCURY COMPOUND, SOLID, N.O.S.	Yes	6.1	II	Toxic	43 66 274 529	P002	30 Kgs G	2	(D/E)	Forbidden	
2025		MERCURY COMPOUND, SOLID, N.O.S.	Yes	6.1	III	Toxic	43 66 274 529	P002	30 Kgs G	2	(E)	Forbidden	
2026		PHENYLMERCURIC COMPOUND, N.O.S.	Yes	6.1	II	Toxic	274	P002	30 Kgs G	2	(D/E)	Forbidden	
2026		PHENYLMERCURIC COMPOUND, N.O.S.	Yes	6.1	III	Toxic	274	P002	30 Kgs G	2	(E)	Forbidden	
2027		SODIUM ARSENITE, SOLID	6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Forbidden	
2028		BOMBS, SMOKE, NON-EXPLOSIVE with corrosive liquid, without initiating device	8		Corrosive			P803	30 Kgs G	2	(E)	Accepted	
2029		HYDRAZINE, ANHYDROUS	8 (3, 6.1)	I	Corrosive, Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
2030		HYDRAZINE AQUEOUS SOLUTION, with more than 37% hydrazine by mass	8 (6.1)	I	Corrosive, Toxic	530		P001	30 Kgs G and 10 Litres net per package.	1	(C/D)	Forbidden	
2030		HYDRAZINE AQUEOUS SOLUTION, with more than 37% hydrazine by mass	8 (6.1)	II	Corrosive, Toxic	530		P001	30 Kgs G	2	(E)	Forbidden	
2030		HYDRAZINE AQUEOUS SOLUTION, with more than 37% hydrazine by mass	8 (6.1)	III	Corrosive, Toxic	530		P001	30 Kgs G	3	(E)	Forbidden	
2031		NITRIC ACID, other than red fuming, with less than 65% nitric acid	8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden	
2031		NITRIC ACID, other than red fuming, with at least 65%, but not more than 70% nitric acid	8 (5.1)	II	Corrosive, Oxidizer			P001	30 Kgs G	2	(E)	Forbidden	
2033		POTASSIUM MONOXIDE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
2034		HYDROGEN AND METHANE MIXTURE, COMPRESSED	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2035	1,1,1-TRIFLUOROETHANE (REFRIGERANT GAS R 143a)		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
2036	XENON		2.2		Non-Flammable Gas	378 392 662		P200	30 Kgs G	3	(C/E)	Accepted	
2037	RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES) without a release device, non-refillable		2.1		Flammable Gas	191 303 327 344	SP327 Not accepted by UPS	P003	30 Kgs G	2	(D)	Accepted	
2037	RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES) without a release device, non-refillable		2.2		Non-Flammable Gas	191 303 327 344	SP327 Not accepted by UPS	P003	30 Kgs G	3	(E)	Accepted	
2037	RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES) without a release device, non-refillable		2.2 (5.1)		Non-Flammable Gas, Oxidizer	191 303 327 344	SP327 Not accepted by UPS	P003	30 Kgs G	3	(E)	Accepted	
2038	DINITROTOLUENES, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2044	2,2-DIMETHYLPROPANE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
2045	ISOBUTYRALDEHYDE (ISOBUTYL ALDEHYDE)		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2046	CYMENES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2047	DICHLOROPROPENES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2047	DICHLOROPROPENES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2048	DICYCLOPENTADIENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2049	DIETHYLBENZENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2050	DIISOBUTYLENE, ISOMERIC COMPOUNDS		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2051	2-DIMETHYLAMINO-ETHANOL		8 (3)	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2052	DIPENTENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2053	METHYL ISOBUTYL CARBINOL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2055	STYRENE MONOMER, STABILIZED		3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted	
2056	TETRAHYDROFURAN		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2057	TRIPROPYLENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2057	TRIPROPYLENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2058	VALERALDEHYDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2067	AMMONIUM NITRATE BASED FERTILIZER		5.1	III	Oxidizer	306 307		P002	30 Kgs G	3	(E)	Forbidden	
2071	AMMONIUM NITRATE BASED FERTILIZER				May not be regulated by ADR when shipped by UPS Standard (ground) service.	193						Accepted	
2073	AMMONIA SOLUTION, relative density less than 0.880 at 15 °C in water, with more than 35% but not more than 50% ammonia		2.2		Non-Flammable Gas			P200	30 Kgs G	3	(E)	Forbidden	
2074	ACRYLAMIDE, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2075	CHLORAL, ANHYDROUS, STABILIZED		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2076	CRESOLS, LIQUID		6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2077	alpha-NAPHTHYLAMINE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2078	TOLUENE DIISOCYANATE		6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted	
2079	DIETHYLENETRIAMINE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2193	HEXAFLUOROETHANE (REFRIGERANT GAS R 116)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
2200	PROPADIENE, STABILIZED		2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
2205	ADIPONITRILE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2206	ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274 551		P001	30 Kgs G	2	(D/E)	Accepted	
2206	ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274 551		P001	30 Kgs G	2	(E)	Accepted	
2209	FORMALDEHYDE SOLUTION with not less than 25% formaldehyde		8	III	Corrosive	533		P001	30 Kgs G	3	(E)	Accepted	
2211	POLYMERIC BEADS, EXPANDABLE, evolving flammable vapour		9	III	May not be regulated by ADR when shipped by UPS Standard (ground) service.	633 675	SP633 Not accepted by UPS					Accepted	
2213	PARAFORMALDEHYDE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
2214	PTHALIC ANHYDRIDE with more than 0.05% of maleic anhydride		8	III	Corrosive	169		P002	30 Kgs G	3	(E)	Accepted	
2215	MALEIC ANHYDRIDE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2217	SEED CAKE with not more than 1.5% oil and not more than 11% moisture		4.2	III	Spontaneously Combustible	142		P002	30 Kgs G	3	(E)	Forbidden	
2218	ACRYLIC ACID, STABILIZED		8 (3)	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Forbidden	
2219	ALLYL GLYCIDYL ETHER		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2222	ANISOLE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2224	BENZONITRILE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2225	BENZENESULPHONYL CHLORIDE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2226	BENZOTRICHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2227	n-BUTYL METHACRYLATE, STABILIZED		3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted	
2233	CHLOROANISIDINES		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2234	CHLOROBENZOTRI-FLUORIDES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2235	CHLOROBENZYL CHLORIDES, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2236	3-CHLORO-4-METHYLPHENYL ISOCYANATE, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2237	CHLORONITROANILINES		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2238	CHLOROTOLUENES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2239	CHLOROTOLUIDINES, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2240	CHROMOSULPHURIC ACID		8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
2241	CYCLOHEPTANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2242	CYCLOHEPTENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2243	CYCLOHEXYL ACETATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2244	CYCLOPENTANOL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2245	CYCLOPENTANONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2246	CYCLOPENTENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2247	n-DECANE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2248	DI-n-BUTYLAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2250	DICHLOROPHENYL ISOCYANATES		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2251	BICYCLO[2.2.1]HEPTA-2,5-DIENE, STABILIZED (2,5-NORBORNADIENE, STABILIZED)		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
2252	1,2-DIMETHOXYETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2253	N,N-DIMETHYLANILINE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2254	MATCHES, FUSEE		4.1	III	Flammable Solid	293		P407	30 Kgs G	4	(E)	Accepted	
2256	CYCLOHEXENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2258	1,2-PROPYLENEDIAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2259	TRIETHYLENETETRAMINE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2260	TRIPROPYLAMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
2261	XYLENOLS, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2262	DIMETHYLCARBAMOYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2263	DIMETHYL-CYCLOHEXANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2264	N,N-DIMETHYL-CYCLOHEXYLAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2265	N,N-DIMETHYL-FORMAMIDE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2266	DIMETHYL-N-PROPYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2267	DIMETHYL THIOPHOSPHORYL CHLORIDE		6.1 (8)	II	Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2269	3,3'-IMINODIPROPYLAMINE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2270	ETHYLAMINE, AQUEOUS SOLUTION with not less than 50% but not more than 70% ethylamine		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2271	ETHYL AMYL KETONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2272	N-ETHYLANILINE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2273	2-ETHYLANILINE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2274	N-ETHYL-N-BENZYLANILINE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2275	2-ETHYLBUTANOL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2276	2-ETHYLHEXYLAMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
2277	ETHYL METHACRYLATE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
2278	n-HEPTENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2279	HEXACHLOROBUTADIENE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2280	HEXAMETHYLENE-DIAMINE, SOLID		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2281	HEXAMETHYLENE DIISOCYANATE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2282	HEXANOLS		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2283	ISOBUTYL METHACRYLATE, STABILIZED		3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted	
2284	ISOBUTYRONITRILE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2285	ISOCYANATOBENZO-TRIFLUORIDES		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2286	PENTAMETHYLHEPTANE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2287	ISOHEPTENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2288	ISOHEXENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2289	ISOPHORONEDIAMINE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2290	ISOPHORONE DIISOCYANATE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2291	LEAD COMPOUND, SOLUBLE, N.O.S.	Yes	6.1	III	Toxic	199 274 535		P002	30 Kgs G	2	(E)	Accepted	
2293	4-METHOXY-4-METHYLPENTAN-2-ONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2294	N-METHYLANILINE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2296	METHYLCYCLOHEXANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2297	METHYLCYCLO-HEXANONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2298	METHYLCYCLOPENTANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2299	METHYL DICHLOROACETATE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2300	2-METHYL-5-ETHYLPYRIDINE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2301	2-METHYLFURAN		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2302	5-METHYLHEXAN-2-ONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2303	ISOPROPENYLBENZENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2305	NITROBENZENE-SULPHONIC ACID		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
2306	NITROBENZOTRI-FLUORIDES, LIQUID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2307	3-NITRO-4-CHLORO-BENZOTRIFLUORIDE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2308	NITROSYLSULPHURIC ACID, LIQUID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden	
2309	OCTADIENES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2310	PENTANE-2,4-DIONE		3 (6.1)	III	Flammable Liquid, Toxic			P001	30 Kgs G	3	(D/E)	Forbidden	
2311	PHENETIDINES		6.1	III	Toxic	279		P001	30 Kgs G	2	(E)	Accepted	
2313	PICOLINES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2318	SODIUM HYDROSULPHIDE with less than 25% water of crystallization		4.2	II	Spontaneously Combustible	504		P410	30 Kgs G	2	(D/E)	Forbidden	
2319	TERPENE HYDROCARBONS, N.O.S.		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2320	TETRAETHYLENE-PENTAMINE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2321	TRICHLOROBENZENES, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2322	TRICHLOROBUTENE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2323	TRIETHYL PHOSPHITE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2324	TRIISOBUTYLENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2325	1,3,5-TRIMETHYLBENZENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2326	TRIMETHYLCYCLO-HEXYLAMINE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2327	TRIMETHYLHEXA-METHYLENEDIAMINES		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2328	TRIMETHYLHEXA-METHYLENE DIISOCYANATE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2329	TRIMETHYL PHOSPHITE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2330	UNDECANE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2331	ZINC CHLORIDE, ANHYDROUS		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2332	ACETALDEHYDE OXIME		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2333	ALLYL ACETATE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
2335	ALLYL ETHYL ETHER		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2336	ALLYL FORMATE		3 (6.1)	I	Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2338	BENZOTRIFLUORIDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2339	2-BROMOBUTANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2340	2-BROMOETHYL ETHYL ETHER		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2341	1-BROMO-3-METHYLBUTANE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2342	BROMOMETHYL-PROPANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2343	2-BROMOPENTANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2344	BROMOPROPANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2344	BROMOPROPANES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2345	3-BROMOPROPYNE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2346	BUTANEDIONE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2347	BUTYL MERCAPTAN		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2348	BUTYL ACRYLATES, STABILIZED		3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted	
2350	BUTYL METHYL ETHER		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2351	BUTYL NITRITES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2351	BUTYL NITRITES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2352	BUTYL VINYL ETHER, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
2353	BUTYRYL CHLORIDE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2354	CHLOROMETHYL ETHYL ETHER		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
2356	2-CHLOROPROPANE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
2357	CYCLOHEXYLAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2358	CYCLOOCTATETRAENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2359	DIALLYLAMINE		3 (6.1, 8)	II	Flammable Liquid, Toxic, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2360	DIALLYL ETHER		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
2361	DIISOBUTYLAMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
2362	1,1-DICHLOROETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2363	ETHYL MERCAPTAN		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
2364	n-PROPYLBENZENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2366	DIETHYL CARBONATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2367	alpha-METHYL-VALERALDEHYDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2368	alpha-PINENE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2370	1-HEXENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2371	ISOPENTENES		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2372	1,2-DI-(DIMETHYLAMINO) ETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2373	DIETHOXYMETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2374	3,3-DIETHOXYPROPENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2375	DIETHYL SULPHIDE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2376	2,3-DIHYDROPYRAN		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2377	1,1-DIMETHOXYETHANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2378	2-DIMETHYLAMINO-ACETONITRILE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
2379	1,3-DIMETHYLBUTYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2380	DIMETHYLDIETHOXY-SILANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2381	DIMETHYL DISULPHIDE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
2383	DIPROPYLAMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2384	DI-n-PROPYL ETHER		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2385	ETHYL ISOBUTYRATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2386	1-ETHYLPYRIDINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2387	FLUOROBENZENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2388	FLUOROTOLUENES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2389	FURAN		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
2390	2-iodobutane		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2391	IODOMETHYLPROPANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2392	IODOPROPANES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2393	ISOBUTYL FORMATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2394	ISOBUTYL PROPIONATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2395	ISOBUTYRYL CHLORIDE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2396	METHACRYLALDEHYDE, STABILIZED		3 (6.1)	II	Flammable Liquid, Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Forbidden	
2397	3-METHYLBUTAN-2-ONE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2398	METHYL tert-BUTYL ETHER		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2399	1-METHYLPYRIDINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2400	METHYL ISOVALERATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2402	PROPANETHIOLS		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2403	ISOPROPENYL ACETATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2404	PROPIONITRILE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
2405	ISOPROPYL BUTYRATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2406	ISOPROPYL ISOBUTYRATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2409	ISOPROPYL PROPIONATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2410	1,2,3,6-TETRAHYDROPYRIDINE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2411	BUTYRONITRILE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
2412	TETRAHYDROTHIOPHENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2413	TETRAPROPYL ORTHOTITANATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2414		THIOPHENE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2416		TRIMETHYL BORATE	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2419		BROMOTRIFLUORO-ETHYLENE	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
2422		OCTAFLUOROBUT-2-ENE (REFRIGERANT GAS R 1318)	2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
2424		OCTAFLUOROPROPANE (REFRIGERANT GAS R 218)	2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
2427		POTASSIUM CHLORATE, AQUEOUS SOLUTION	5.1	II	Oxidizer			P504	30 Kgs G	2	(E)	Accepted	
2427		POTASSIUM CHLORATE, AQUEOUS SOLUTION	5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted	
2428		SODIUM CHLORATE, AQUEOUS SOLUTION	5.1	II	Oxidizer			P504	30 Kgs G	2	(E)	Accepted	
2428		SODIUM CHLORATE, AQUEOUS SOLUTION	5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted	
2429		CALCIUM CHLORATE, AQUEOUS SOLUTION	5.1	II	Oxidizer			P504	30 Kgs G	2	(E)	Accepted	
2429		CALCIUM CHLORATE, AQUEOUS SOLUTION	5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted	
2430		ALKYLPHENOLS, SOLID, N.O.S. (including C ₂ -C ₁₂ homologues)	8	I	Corrosive			P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
2430		ALKYLPHENOLS, SOLID, N.O.S. (including C ₂ -C ₁₂ homologues)	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
2430		ALKYLPHENOLS, SOLID, N.O.S. (including C ₂ -C ₁₂ homologues)	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2431		ANISIDINES	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2432		N,N-DIETHYLANILINE	6.1	III	Toxic	279		P001	30 Kgs G	2	(E)	Accepted	
2433		CHLORONITROTOLUENES, LIQUID	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2434		DIBENZYL-DICHLOROSILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
2435		ETHYLPHENYL-DICHLOROSILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
2436		THIOACETIC ACID	3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2437		METHYLPHENYL-DICHLOROSILANE	8	II	Corrosive			P010	30 Kgs G	2	(E)	Accepted	
2439		SODIUM HYDROGENDIFLUORIDE	8	II	Corrosive			P002	30 Kgs G	2	(E)	Forbidden	
2440		STANNIC CHLORIDE PENTAHYDRATE	8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2443		VANADIUM OXYTRICHLORIDE	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2444		VANADIUM TETRACHLORIDE	8	I	Corrosive			P802	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
2446		NITROCRESOLS, SOLID	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2451		NITROGEN TRIFLUORIDE	2.2 (5.1)		Non-Flammable Gas, Oxidizer	662		P200	30 Kgs G	3	(C/E)	Accepted	
2452		ETHYLACETYLENE, STABILIZED	2.1		Flammable Gas	386 662 676	SP386 not accepted by UPS	P200	30 Kgs G	2	(B/D)	Forbidden	
2453		ETHYL FLUORIDE (REFRIGERANT GAS R 161)	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
2454		METHYL FLUORIDE (REFRIGERANT GAS R 41)	2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instru- ctions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2456	2-CHLOROPROPENE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
2457	2,3-DIMETHYLBUTANE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2458	HEXADIENES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2459	2-METHYL-1-BUTENE		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
2460	2-METHYL-2-BUTENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2461	METHYLPENTADIENE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2464	BERYLLIUM NITRATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
2465	DICHLOROISOCYANURIC ACID, DRY or DICHLOROISOCYANURIC ACID SALTS		5.1	II	Oxidizer	135		P002	30 Kgs G	2	(E)	Accepted	
2466	POTASSIUM SUPEROXIDE		5.1	I	Oxidizer			P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
2468	TRICHLOROISOCYANURIC ACID, DRY		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
2469	ZINC BROMATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
2470	PHENYLACETONITRILE, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2473	SODIUM ARSANILATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Forbidden	
2475	VANADIUM TRICHLORIDE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2478	ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	II	Flammable Liquid, Toxic	274 539		P001	30 Kgs G	2	(D/E)	Forbidden	
2478	ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	III	Flammable Liquid, Toxic	274		P001	30 Kgs G	3	(D/E)	Forbidden	
2490	DICHLOROISOPROPYL ETHER		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2491	ETHANOLAMINE or ETHANOLAMINE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2493	HEXAMETHYLENIMINE		3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2495	IODINE PENTAFLUORIDE		5.1 (6.1, 8)	I	Oxidizer, Toxic, Corrosive			P200	30 Kgs G and 10 Kgs net per package.	1	(B/E)	Forbidden	
2496	PROPIONIC ANHYDRIDE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2498	1,2,3,6-TETRAHYDROBENZAL-DEHYDE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2501	TRIS-(1-AZIRIDINYL) PHOSPHINE OXIDE SOLUTION		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2501	TRIS-(1-AZIRIDINYL) PHOSPHINE OXIDE SOLUTION		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2502	VALERYL CHLORIDE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2503	ZIRCONIUM TETRACHLORIDE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2504	TETRABROMOETHANE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2505	AMMONIUM FLUORIDE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2506	AMMONIUM HYDROGEN SULPHATE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
2507	CHLOROPLATINIC ACID, SOLID		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2508	MOLYBDENUM PENTACHLORIDE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2509	POTASSIUM HYDROGEN SULPHATE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2511			8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2512			6.1	III	Toxic	279		P002	30 Kgs G	2	(E)	Accepted	
2513			8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2514			3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2515			6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2516			6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2517			2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
2518			6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2520			3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2522			6.1	II	Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
2524			3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2525			6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2526			3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
2527			3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted	
2528			3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2529			3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
2531			8	II	Corrosive	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(E)	Accepted	
2533			6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2535			3 (8)	II	Flammable Liquid, Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2536			3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2538			4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
2541			3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2542			6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2545			4.2	II	Spontaneously Combustible	540		P410	30 Kgs G	2	(D/E)	Forbidden	
2545			4.2	III	Spontaneously Combustible	540		P002	30 Kgs G	3	(E)	Forbidden	
2546			4.2	II	Spontaneously Combustible	540		P410	30 Kgs G	2	(D/E)	Forbidden	
2546			4.2	III	Spontaneously Combustible	540		P002	30 Kgs G	3	(E)	Forbidden	
2547			5.1	I	Oxidizer			P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
2552			6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2554			3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2560			3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2561			3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
2564			8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2564			8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2565	DICYCLOHEXYLAMINE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2567	SODIUM PENTACHLOROPHENATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2570	CADMIUM COMPOUND	Yes	6.1	II	Toxic	274 596		P002	30 Kgs G	2	(D/E)	Accepted	
2570	CADMIUM COMPOUND	Yes	6.1	III	Toxic	274 596		P002	30 Kgs G	2	(E)	Accepted	
2571	ALKYLSULPHURIC ACIDS		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2572	PHENYLHYDRAZINE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2573	THALLIUM CHLORATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden	
2574	TRICRESYL PHOSPHATE with more than 3% ortho isomer		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2577	PHENYLACETYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2578	PHOSPHORUS TRIOXIDE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2579	PIPERAZINE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2580	ALUMINIUM BROMIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2581	ALUMINIUM CHLORIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2582	FERRIC CHLORIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2583	ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with more than 5% free sulphuric acid		8	II	Corrosive			P002	30 Kgs G	2	(E)	Forbidden	
2584	ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with more than 5% free sulphuric acid		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden	
2585	ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with not more than 5% free sulphuric acid		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2586	ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2587	BENZOQUINONE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2588	PESTICIDE, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2588	PESTICIDE, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2589	VINYL CHLOROACETATE		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2599	CHLOROTRIFLUORO-METHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE with approximately 60% chlorotrifluoromethane (REFRIGERANT GAS R 503)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
2601	CYCLOBUTANE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
2602	DICHLORODIFLUORO-METHANE AND 1,1-DIFLUOROETHANE AZEOTROPIC MIXTURE with approximately 74% dichlorodifluoromethane (REFRIGERANT GAS R 500)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2603	CYCLOHEPTATRIENE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
2607	ACROLEIN DIMER, STABILIZED		3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted	
2608	NITROPROPANES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2609	TRIALLYL BORATE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2610	TRIALLYLAMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
2611	PROPYLENE CHLOROXYDRIN		6.1 (3)	II	Toxic, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2612	METHYL PROPYL ETHER		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2614	METHALLYL ALCOHOL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2615	ETHYL PROPYL ETHER		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2616	TRIIISOPROPYL BORATE		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2616	TRIIISOPROPYL BORATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2617	METHYLCYCLO-HEXANOLS, flammable		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2618	VINYLTOLUENES, STABILIZED		3	III	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted	
2619	BENZYL DIMETHYLAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2620	AMYL BUTYRATES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2621	ACETYL METHYL CARBINOL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2622	GLYCIDALDEHYDE		3 (6.1)	II	Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
2623	FIRELIGHTERS, SOLID with flammable liquid		4.1	III	Flammable Solid			P002	30 Kgs G	4	(E)	Accepted	
2626	CHLORIC ACID, AQUEOUS SOLUTION with not more than 10% chloric acid		5.1	II	Oxidizer	613 103 274		P504	30 Kgs G	2	(E)	Forbidden	
2627	NITRITES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
2643	METHYL BROMOACETATE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2645	PHENACYL BROMIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2647	MALONONITRILE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2648	1,2-DIBROMOBUTAN-3-ONE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2649	1,3-DICHLOROACETONE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2650	1,1-DICHLORO-1-NITROETHANE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2651	4,4'-DIAMINODIPHENYL-METHANE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2653	BENZYL IODIDE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2655	POTASSIUM FLUOROSILICATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2656	QUINOLINE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2657	SELENIUM DISULPHIDE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Forbidden	
2659	SODIUM CHLOROACETATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2660	NITROTOLUIDINES (MONO)		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2661	HEXACHLOROACETONE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2664	DIBROMOMETHANE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2667	BUTYLTOLUENES		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2669	CHLOROCRESOLS SOLUTION		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2669	CHLOROCRESOLS SOLUTION		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2670	CYANURIC CHLORIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2671	AMINOPYRIDINES (o-, m-, p-)		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2672	AMMONIA SOLUTION, relative density between 0.880 and 0.957 at 15 °C in water, with more than 10% but not more than 35% ammonia		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2673	2-AMINO-4-CHLOROPHENOL		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2674	SODIUM FLUOROSILICATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2677	RUBIDIUM HYDROXIDE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2677	RUBIDIUM HYDROXIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2678	RUBIDIUM HYDROXIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
2679	LITHIUM HYDROXIDE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2679	LITHIUM HYDROXIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2680	LITHIUM HYDROXIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
2681	CAESIUM HYDROXIDE SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2681	CAESIUM HYDROXIDE SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2682	CAESIUM HYDROXIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
2683	AMMONIUM SULPHIDE SOLUTION		8 (3, 6.1)	II	Corrosive, Flammable Liquid, Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
2684	3-DIETHYLAMINOPROPYL-AMINE		3 (8)	III	Flammable Liquid, Corrosive			P001	30 Kgs G	3	(D/E)	Forbidden	
2685	N,N-DIETHYLETHYLENE-DIAMINE		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2686	2-DIETHYLAMINO-ETHANOL		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2687	DICYCLOHEXYL-AMMONIUM NITRITE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
2688	1-BROMO-3-CHLOROPROPANE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2689	GLYCEROL alpha-MONOCHLOROHYDRIN		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2690	N,n-BUTYLIMIDAZOLE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2691	PHOSPHORUS PENTABROMIDE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
2693	BISULPHITES, AQUEOUS SOLUTION, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted	
2698	TETRAHYDROPHTHALIC ANHYDRIDES with more than 0.05% of maleic anhydride		8	III	Corrosive	169		P002	30 Kgs G	3	(E)	Accepted	
2699	TRIFLUOROACETIC ACID		8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
2705	1-PENTOL		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2707	DIMETHYLDIOXANES		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
2707	DIMETHYLDIOXANES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2709	BUTYLBENZENES		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2710	DIPROPYL KETONE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2713	ACRIDINE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2714	ZINC RESINATE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
2715	ALUMINIUM RESINATE		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
2716	1,4-BUTYNEEDIOL		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2717	CAMPHOR, synthetic		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
2719	BARIUM BROMATE		5.1 (6.1)	II	Oxidizer, Toxic			P002	30 Kgs G	2	(E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2720			5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
2721			5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
2722			5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
2723			5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
2724			5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
2725			5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
2726			5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
2727			6.1 (5.1)	II	Toxic, Oxidizer			P002	30 Kgs G	2	(D/E)	Forbidden	
2728			5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
2729			6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2730			6.1	III	Toxic	279		P001	30 Kgs G	2	(E)	Accepted	
2732			6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2733		AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.	Yes	3 (8)	I	Flammable Liquid, Corrosive	274 544	P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2733		AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.	Yes	3 (8)	II	Flammable Liquid, Corrosive	274 544	P001	30 Kgs G	2	(D/E)	Forbidden	
2733		AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.	Yes	3 (8)	III	Flammable Liquid, Corrosive	274 544	P001	30 Kgs G	3	(D/E)	Forbidden	
2734		AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.	Yes	8 (3)	II	Corrosive, Flammable Liquid	274	P001	30 Kgs G	2	(D/E)	Forbidden	
2735		AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.	Yes	8	I	Corrosive	274	P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
2735		AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.	Yes	8	II	Corrosive	274	P001	30 Kgs G	2	(E)	Accepted	
2735		AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.	Yes	8	III	Corrosive	274	P001	30 Kgs G	3	(E)	Accepted	
2738			6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2739			8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2741		BARIUM HYPOCHLORITE with more than 22% available chlorine		5.1 (6.1)	II	Oxidizer, Toxic		P002	30 Kgs G	2	(E)	Forbidden	
2742		CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.	Yes	6.1 (3, 8)	II	Toxic, Flammable Liquid, Corrosive	274 561	P001	30 Kgs G	2	(D/E)	Forbidden	
2744		CYCLOBUTYL CHLOROFORMATE		6.1 (3, 8)	II	Toxic, Flammable Liquid, Corrosive		P001	30 Kgs G	2	(D/E)	Forbidden	
2745		CHLOROMETHYL CHLOROFORMATE		6.1 (8)	II	Toxic, Corrosive		P001	30 Kgs G	2	(D/E)	Forbidden	
2746		PHENYL CHLOROFORMATE		6.1 (8)	II	Toxic, Corrosive		P001	30 Kgs G	2	(D/E)	Forbidden	
2747		tert-BUTYLCYCLOHEXYL CHLOROFORMATE		6.1	III	Toxic		P001	30 Kgs G	2	(E)	Accepted	
2748		2-ETHYLHEXYL CHLOROFORMATE		6.1 (8)	II	Toxic, Corrosive		P001	30 Kgs G	2	(D/E)	Forbidden	
2749		TETRAMETHYLSILANE		3	I	Flammable Liquid		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
2750		1,3-DICHLOROPROPANOL-2		6.1	II	Toxic		P001	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2751	DIETHYLTHIO-PHOSPHORYL CHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2752	1,2-EPOXY-3-ETHOXYPROPANE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2753	N-ETHYLBENZYL-TOLUIDINES, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2754	N-ETHYLTOLUIDINES		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2757	CARBAMATE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2757	CARBAMATE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2758	CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2758	CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2759	ARSENICAL PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2759	ARSENICAL PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2760	ARSENICAL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2760	ARSENICAL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2761	ORGANOCHLORINE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2761	ORGANOCHLORINE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2762	ORGANOCHLORINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2762	ORGANOCHLORINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2763	TRIAZINE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2763	TRIAZINE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2764	TRIAZINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2764	TRIAZINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2771	THIOCARBAMATE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2771	THIOCARBAMATE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2772	THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2772	THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2775	COPPER BASED PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2775	COPPER BASED PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2776	COPPER BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2776	COPPER BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2777	MERCURY BASED PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2777	MERCURY BASED PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2778	MERCURY BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2778	MERCURY BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2779	SUBSTITUTED NITROPHENOL PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2779	SUBSTITUTED NITROPHENOL PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2780	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2780	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2781	BIPYRIDILIUM PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2781	BIPYRIDILIUM PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2782	BIPYRIDILIUM PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2782	BIPYRIDILIUM PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2783	ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2783	ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2784	ORGANOPHOSPHORUS PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2784	ORGANOPHOSPHORUS PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2785	4-THIAPENTANAL		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2786	ORGANOTIN PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
2786	ORGANOTIN PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
2787	ORGANOTIN PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2787	ORGANOTIN PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2788	ORGANOTIN COMPOUND, LIQUID, N.O.S.	Yes	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Accepted	
2788	ORGANOTIN COMPOUND, LIQUID, N.O.S.	Yes	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Accepted	
2789	ACETIC ACID, GLACIAL or ACETIC ACID SOLUTION, more than 80% acid, by mass		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
2790	ACETIC ACID SOLUTION, not less than 50% but not more than 80% acid, by mass		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2790	ACETIC ACID SOLUTION, more than 10% and less than 50% acid, by mass		8	III	Corrosive	597 647		P001	30 Kgs G	3	(E)	Accepted	
2793	FERROUS METAL BORINGS, SHAVINGS, TURNINGS or CUTTINGS in a form liable to self-heating		4.2	III	Spontaneously Combustible	592	SP592 Not accepted by UPS	P003	30 Kgs G	3	(E)	Forbidden	
2794	BATTERIES, WET, FILLED WITH ACID, electric storage		8		Corrosive	295 598	SP598 Not accepted by UPS	P801	30 Kgs G	3	(E)	Accepted	
2795	BATTERIES, WET, FILLED WITH ALKALI, electric storage		8		Corrosive	295 401 598	SP598 Not accepted by UPS	P801	30 Kgs G	3	(E)	Accepted	
2796	SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden	
2797	BATTERY FLUID, ALKALI		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2798	PHENYLPHOSPHORUS DICHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2799	PHENYLPHOSPHORUS THIODICHLORIDE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
2800	BATTERIES, WET, NON-SPILLABLE, electric storage		8		Corrosive	238 295 598	SP598 Not accepted by UPS	P003	30 Kgs G	3	(E)	Accepted	
2801	DYE, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
2801	DYE, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted	
2801	DYE, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted	
2802	COPPER CHLORIDE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2803	GALLIUM		8	III	Corrosive	365		P800	30 Kgs G	3	(E)	Accepted	
2807	MAGNETIZED MATERIAL				May not be regulated by ADR when shipped by UPS Standard (ground) service.								
2809	MERCURY		8 (6.1)	III	Corrosive, Toxic	365		P800	30 Kgs G	3	(E)	Forbidden	
2810	TOXIC LIQUID, ORGANIC, N.O.S.	Yes	6.1	II	Toxic	274 614		P001	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2810	TOXIC LIQUID, ORGANIC, N.O.S.	Yes	6.1	III	Toxic	274 614		P001	30 Kgs G	2	(E)	Accepted	
2811	TOXIC SOLID, ORGANIC, N.O.S.	Yes	6.1	II	Toxic	274 614		P002	30 Kgs G	2	(D/E)	Accepted	
2811	TOXIC SOLID, ORGANIC, N.O.S.	Yes	6.1	III	Toxic	274 614		P002	30 Kgs G	2	(E)	Accepted	
2815	N-AMINOETHYLPIPERAZINE		8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden	
2817	AMMONIUM HYDROGENDIFLUORIDE SOLUTION		8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden	
2817	AMMONIUM HYDROGENDIFLUORIDE SOLUTION		8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden	
2818	AMMONIUM POLYSULPHIDE SOLUTION		8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden	
2818	AMMONIUM POLYSULPHIDE SOLUTION		8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden	
2819	AMYL ACID PHOSPHATE		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2820	BUTYRIC ACID		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2821	PHENOL SOLUTION		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2821	PHENOL SOLUTION		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2822	2-CHLOROPYRIDINE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2823	CROTONIC ACID, SOLID		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2829	CAPROIC ACID		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2831	1,1,1-TRICHLOROETHANE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2834	PHOSPHOROUS ACID		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2837	BISULPHATES, AQUEOUS SOLUTION		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden	
2837	BISULPHATES, AQUEOUS SOLUTION		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2838	VINYL BUTYRATE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
2839	ALDOL		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2840	BUTYRALDOXIME		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2841	DI-n-AMYLAMINE		3 (6.1)	III	Flammable Liquid, Toxic			P001	30 Kgs G	3	(D/E)	Forbidden	
2842	NITROETHANE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2849	3-CHLOROPROPANOL-1		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2850	PROPYLENE TETRAMER		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2851	BORON TRIFLUORIDE DIHYDRATE		8	II	Corrosive			P001	30 Kgs G	2	(E)	Forbidden	
2853	MAGNESIUM FLUOROSILICATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2854	AMMONIUM FLUOROSILICATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2855	ZINC FLUOROSILICATE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2856	FLUOROSILICATES, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted	
2857	REFRIGERATING MACHINES containing non- flammable, non-toxic gases or ammonia solutions (UN 2672)		2.2		Non-Flammable Gas	119		P003	30 Kgs G	3	(E)	Accepted	
2858	ZIRCONIUM, DRY, coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns)		4.1	III	Flammable Solid	546		P002	30 Kgs G	3	(E)	Accepted	
2859	AMMONIUM METAVANADATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2861	AMMONIUM POLYVANADATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2862	VANADIUM PENTOXIDE, non-fused form		6.1	III	Toxic	600		P002	30 Kgs G	2	(E)	Accepted	
2863	SODIUM AMMONIUM VANADATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2864	POTASSIUM METAVANADATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2865	HYDROXYLAMINE SULPHATE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2869	TITANIUM TRICHLORIDE MIXTURE		8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
2869	TITANIUM TRICHLORIDE MIXTURE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2871	ANTIMONY POWDER		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2872	DIBROMOCHLORO-PROPANES		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2872	DIBROMOCHLORO-PROPANES		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2873	DIBUTYLAMINOETHANOL		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2874	FURFURYL ALCOHOL		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2875	HEXACHLOROPHENE		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2876	RESORCINOL		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
2878	TITANIUM SPONGE GRANULES or TITANIUM SPONGE POWDERS		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
2881	METAL CATALYST, DRY	Yes	4.2	II	Spontaneously Combustible	274		P410	30 Kgs G	2	(D/E)	Forbidden	
2881	METAL CATALYST, DRY	Yes	4.2	III	Spontaneously Combustible	274		P002	30 Kgs G	3	(E)	Forbidden	
2902	PESTICIDE, LIQUID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
2902	PESTICIDE, LIQUID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
2903	PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2903	PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2904	CHLOROPHENOLATES, LIQUID or PHENOLATES, LIQUID		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
2905	CHLOROPHENOLATES, SOLID or PHENOLATES, SOLID		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2920	CORROSIVE LIQUID, FLAMMABLE, N.O.S.	Yes	8 (3)	II	Corrosive, Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Forbidden	
2921	CORROSIVE SOLID, FLAMMABLE, N.O.S.	Yes	8 (4.1)	II	Corrosive, Flammable Solid	274		P002	30 Kgs G	2	(E)	Forbidden	
2922	CORROSIVE LIQUID, TOXIC, N.O.S.	Yes	8 (6.1)	II	Corrosive, Toxic	274		P001	30 Kgs G	2	(E)	Forbidden	
2922	CORROSIVE LIQUID, TOXIC, N.O.S.	Yes	8 (6.1)	III	Corrosive, Toxic	274		P001	30 Kgs G	3	(E)	Forbidden	
2923	CORROSIVE SOLID, TOXIC, N.O.S.	Yes	8 (6.1)	II	Corrosive, Toxic	274		P002	30 Kgs G	2	(E)	Forbidden	
2923	CORROSIVE SOLID, TOXIC, N.O.S.	Yes	8 (6.1)	III	Corrosive, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden	
2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Yes	3 (8)	I	Flammable Liquid, Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Yes	3 (8)	II	Flammable Liquid, Corrosive	274		P001	30 Kgs G	2	(D/E)	Forbidden	
2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	Yes	3 (8)	III	Flammable Liquid, Corrosive	274		P001	30 Kgs G	3	(D/E)	Forbidden	
2925	FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.	Yes	4.1 (8)	II	Flammable Solid, Corrosive	274		P002	30 Kgs G	2	(E)	Forbidden	
2925	FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.	Yes	4.1 (8)	III	Flammable Solid, Corrosive	274		P002	30 Kgs G	3	(E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instru- ctions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2926	FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.	Yes	4.1 (6.1)	II	Flammable Solid, Toxic	274		P002	30 Kgs G	2	(E)	Forbidden	
2926	FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.	Yes	4.1 (6.1)	III	Flammable Solid, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden	
2927	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274		P001	30 Kgs G	2	(D/E)	Forbidden	
2928	TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274		P002	30 Kgs G	2	(D/E)	Forbidden	
2929	TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.	Yes	6.1 (3)	II	Toxic, Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Forbidden	
2930	TOXIC SOLID, FLAMMABLE, ORGANIC, N.O.S.	Yes	6.1 (4.1)	II	Toxic, Flammable Solid	274		P002	30 Kgs G	2	(D/E)	Forbidden	
2931	VANADYL SULPHATE		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
2933	METHYL 2-CHLOROPROPIONATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2934	ISOPROPYL 2-CHLOROPROPIONATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2935	ETHYL 2-CHLOROPROPIONATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2936	THIOLACTIC ACID		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2937	alpha-METHYLBENZYL ALCOHOL, LIQUID		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2940	9-PHOSPHABICYCLO-NONANES (CYCLOOCTADIENE PHOSPHINES)		4.2	II	Spontaneously Combustible			P410	30 Kgs G	2	(D/E)	Forbidden	
2941	FLUOROANILINES		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2942	2-TRIFLUOROMETHYL-ANILINE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2943	TETRAHYDROFURFURYL-AMINE		3	III	Flammable Liquid Flammable Liquid,			P001	30 Kgs G	3	(D/E)	Accepted	
2945	N-METHYLBUTYLAMINE		3 (8)	II	Corrosive			P001	30 Kgs G	2	(D/E)	Forbidden	
2946	2-AMINO-5-DIETHYLAMINOPENTANE		6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
2947	ISOPROPYL CHLOROACETATE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
2948	3-TRIFLUOROMETHYL-ANILINE		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2949	SODIUM HYDROSULPHIDE, HYDRATED with not less than 25% water of crystallization		8	II	Corrosive	523		P002	30 Kgs G	2	(E)	Accepted	
2966	THIOGLYCOL		6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
2967	SULPHAMIC ACID		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
2969	CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE		9	II	Miscellaneous	141		P002	30 Kgs G	2	(E)	Accepted	
2983	ETHYLENE OXIDE AND PROPYLENE OXIDE MIXTURE, not more than 30% ethylene oxide		3 (6.1)	I	Flammable Liquid, Toxic			P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
2985	CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.		3 (8)	II	Flammable Liquid, Corrosive	548		P010	30 Kgs G	2	(D/E)	Forbidden	
2986	CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S.		8 (3)	II	Corrosive, Flammable Liquid	548		P010	30 Kgs G	2	(D/E)	Forbidden	
2987	CHLOROSILANES, CORROSIVE, N.O.S.		8	II	Corrosive	548		P010	30 Kgs G	2	(E)	Accepted	
2989	LEAD PHOSPHITE, DIBASIC		4.1	II	Flammable Solid			P002	30 Kgs G	2	(E)	Accepted	
2989	LEAD PHOSPHITE, DIBASIC		4.1	III	Flammable Solid			P002	30 Kgs G	3	(E)	Accepted	
2990	LIFE-SAVING APPLIANCES, SELF-INFLATING		9		Miscellaneous	296 635	SP635 labelling exception not accepted by UPS	P905	30 Kgs G	3	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
2991	CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2991	CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2992	CARBAMATE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
2992	CARBAMATE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
2993	ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2993	ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2994	ARSENICAL PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
2994	ARSENICAL PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
2995	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2995	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2996	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
2996	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
2997	TRIAZINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2997	TRIAZINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
2998	TRIAZINE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
2998	TRIAZINE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3005	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3005	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3006	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
3006	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
3009	COPPER BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3009	COPPER BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3010	COPPER BASED PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
3010	COPPER BASED PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
3011	MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3011	MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3012	MERCURY BASED PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
3012	MERCURY BASED PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
3013	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3013	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3014	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
3014	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3015	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3015	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3016	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
3016	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
3017	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3017	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3018	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
3018	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
3019	ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3019	ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3020	ORGANOTIN PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
3020	ORGANOTIN PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
3021	PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
3021	PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3022	1,2-BUTYLENE OXIDE, STABILIZED		3	II	Flammable Liquid	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
3024	COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
3024	COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3025	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3025	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3026	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
3026	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
3027	COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
3027	COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
3028	BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID, electric storage		8		Corrosive	295 304 598	SP598 Not accepted by UPS	P801	30 Kgs G	3	(E)	Accepted	
3054	CYCLOHEXYL MERCAPTAN		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
3055	2-(2-AMINOETHOXY) ETHANOL		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
3056	n-HEPTALDEHYDE		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
3065	ALCOHOLIC BEVERAGES, with more than 70% alcohol by volume		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
3065	ALCOHOLIC BEVERAGES, with more than 24% but not more than 70% alcohol by volume		3	III	Flammable Liquid	144 145 247	SP247 Not accepted by UPS	P001	30 Kgs G	3	(D/E)	Accepted	
3066	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)		8	II	Corrosive	163 367		P001	30 Kgs G	2	(E)	Accepted	
3066	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)		8	III	Corrosive	163 367		P001	30 Kgs G	3	(E)	Accepted	
3070	ETHYLENE OXIDE AND DICHLORODIFLUORO-METHANE MIXTURE with not more than 12.5% ethylene oxide		2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted	
3071	MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, TOXIC, FLAMMABLE, N.O.S.	Yes	6.1 (3)	II	Toxic, Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3072	LIFE-SAVING APPLIANCES NOT SELF-INFLATING containing dangerous goods as equipment		9		Miscellaneous	296 335 635	SP635 labelling exception not accepted by UPS	P905	30 Kgs G	3	(E)	Accepted	
3073	VINYLPYRIDINES, STABILIZED		6.1 (3, 8)	II	Toxic, Flammable Liquid, Corrosive	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Forbidden	
3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Yes	9	III	Miscellaneous	274 335 375 601		P002	30 Kgs G	3	(-)	Accepted	
3080	ISOCYANATES, TOXIC, FLAMMABLE, N.O.S. or ISOCYANATE SOLUTION, TOXIC, FLAMMABLE, N.O.S.	Yes	6.1 (3)	II	Toxic, Flammable Liquid	274 551		P001	30 Kgs G	2	(D/E)	Forbidden	
3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Yes	9	III	Miscellaneous	274 335 375 601	SP650 not accepted by UPS	P001	30 Kgs G	3	(-)	Accepted	
3084	CORROSIVE SOLID, OXIDIZING, N.O.S.	Yes	8 (5.1)	II	Corrosive, Oxidizer	274		P002	30 Kgs G	2	(E)	Forbidden	
3085	OXIDIZING SOLID, CORROSIVE, N.O.S.	Yes	5.1 (8)	I	Oxidizer, Corrosive	274		P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3085	OXIDIZING SOLID, CORROSIVE, N.O.S.	Yes	5.1 (8)	II	Oxidizer, Corrosive	274		P002	30 Kgs G	2	(E)	Forbidden	
3085	OXIDIZING SOLID, CORROSIVE, N.O.S.	Yes	5.1 (8)	III	Oxidizer, Corrosive	274		P002	30 Kgs G	3	(E)	Forbidden	
3086	TOXIC SOLID, OXIDIZING, N.O.S.	Yes	6.1 (5.1)	II	Toxic, Oxidizer	274		P002	30 Kgs G	2	(D/E)	Forbidden	
3087	OXIDIZING SOLID, TOXIC, N.O.S.	Yes	5.1 (6.1)	I	Oxidizer, Toxic	274		P503	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3087	OXIDIZING SOLID, TOXIC, N.O.S.	Yes	5.1 (6.1)	II	Oxidizer, Toxic	274		P002	30 Kgs G	2	(E)	Forbidden	
3087	OXIDIZING SOLID, TOXIC, N.O.S.	Yes	5.1 (6.1)	III	Oxidizer, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden	
3088	SELF-HEATING SOLID, ORGANIC, N.O.S.	Yes	4.2	II	Spontaneously Combustible	274		P410	30 Kgs G	2	(D/E)	Forbidden	
3088	SELF-HEATING SOLID, ORGANIC, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274 665		P002	30 Kgs G	3	(E)	Forbidden	
3089	METAL POWDER, FLAMMABLE, N.O.S.		4.1	II	Flammable Solid	552		P002	30 Kgs G	2	(E)	Accepted	
3089	METAL POWDER, FLAMMABLE, N.O.S.		4.1	III	Flammable Solid	552		P002	30 Kgs G	3	(E)	Accepted	
3090	LITHIUM METAL BATTERIES (including lithium alloy batteries)		9		Miscellaneous 9A Lithium Battery	188 230 310 376 377 387 636 677	SP310 for damaged/defective batteries and batteries sent for disposal/recycling not accepted. SP's 376, 377 and 636 not accepted by UPS. Contact UPS for additional details.	P903	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3091		LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT or LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT (including lithium alloy batteries)	9		Miscellaneous 9A Battery	188 230 310 360 376 377 387 390 636 670	SP310 for damaged/defective batteries and batteries sent for disposal/recycling not accepted. SP's 376, 377, 636 and 670 not accepted by UPS. Contact UPS for additional details.	P903	30 Kgs G	2	(E)	Accepted	
3092	1-METHOXY-2-PROPANOL		3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted	
3093	CORROSIVE LIQUID, OXIDIZING, N.O.S.	Yes	8 (5.1)	II	Corrosive, Oxidizer	274		P001	30 Kgs G	2	(E)	Forbidden	
3095	CORROSIVE SOLID, SELF-HEATING, N.O.S.	Yes	8 (4.2)	II	Corrosive, Spontaneously Combustible	274		P002	30 Kgs G	2	(E)	Forbidden	
3098	OXIDIZING LIQUID, CORROSIVE, N.O.S.	Yes	5.1 (8)	I	Oxidizer, Corrosive	274		P502	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3098	OXIDIZING LIQUID, CORROSIVE, N.O.S.	Yes	5.1 (8)	II	Oxidizer, Corrosive	274		P504	30 Kgs G	2	(E)	Forbidden	
3098	OXIDIZING LIQUID, CORROSIVE, N.O.S.	Yes	5.1 (8)	III	Oxidizer, Corrosive	274		P504	30 Kgs G	3	(E)	Forbidden	
3099	OXIDIZING LIQUID, TOXIC, N.O.S.	Yes	5.1 (6.1)	I	Oxidizer, Toxic	274		P502	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3099	OXIDIZING LIQUID, TOXIC, N.O.S.	Yes	5.1 (6.1)	II	Oxidizer, Toxic	274		P504	30 Kgs G	2	(E)	Forbidden	
3099	OXIDIZING LIQUID, TOXIC, N.O.S.	Yes	5.1 (6.1)	III	Oxidizer, Toxic	274		P504	30 Kgs G	3	(E)	Forbidden	
3103	ORGANIC PEROXIDE TYPE C, LIQUID	Yes	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden	
3104	ORGANIC PEROXIDE TYPE C, SOLID	Yes	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden	
3105	ORGANIC PEROXIDE TYPE D, LIQUID	Yes	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3106	ORGANIC PEROXIDE TYPE D, SOLID	Yes	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3107	ORGANIC PEROXIDE TYPE E, LIQUID	Yes	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3108	ORGANIC PEROXIDE TYPE E, SOLID	Yes	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3109	ORGANIC PEROXIDE TYPE F, LIQUID	Yes	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3110	ORGANIC PEROXIDE TYPE F, SOLID	Yes	5.2		Organic Peroxide	122 274	SP122 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3122	TOXIC LIQUID, OXIDIZING, N.O.S.	Yes	6.1 (5.1)	II	Toxic, Oxidizer	274		P001	30 Kgs G	2	(D/E)	Forbidden	
3124	TOXIC SOLID, SELF-HEATING, N.O.S.	Yes	6.1 (4.2)	II	Toxic, Spontaneously Combustible	274		P002	30 Kgs G	2	(D/E)	Forbidden	
3126	SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	Yes	4.2 (8)	II	Spontaneously Combustible, Corrosive	274		P410	30 Kgs G	2	(D/E)	Forbidden	
3126	SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	Yes	4.2 (8)	III	Spontaneously Combustible, Corrosive	274		P002	30 Kgs G	3	(E)	Forbidden	
3128	SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	Yes	4.2 (6.1)	II	Spontaneously Combustible, Toxic	274		P410	30 Kgs G	2	(D/E)	Forbidden	
3128	SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	Yes	4.2 (6.1)	III	Spontaneously Combustible, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden	
3139	OXIDIZING LIQUID, N.O.S.	Yes	5.1	I	Oxidizer	274		P502	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3139	OXIDIZING LIQUID, N.O.S.	Yes	5.1	II	Oxidizer	274		P504	30 Kgs G	2	(E)	Forbidden	
3139	OXIDIZING LIQUID, N.O.S.	Yes	5.1	III	Oxidizer	274		P504	30 Kgs G	3	(E)	Accepted	
3140	ALKALOIDS, LIQUID, N.O.S. or ALKALOID SALTS, LIQUID, N.O.S.	Yes	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Accepted	
3140	ALKALOIDS, LIQUID, N.O.S. or ALKALOID SALTS, LIQUID, N.O.S.	Yes	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Accepted	
3141	ANTIMONY COMPOUND, INORGANIC, LIQUID, N.O.S.	Yes	6.1	III	Toxic	45 274 512		P001	30 Kgs G	2	(E)	Accepted	
3142	DISINFECTANT, LIQUID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Accepted	
3142	DISINFECTANT, LIQUID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Accepted	
3143	DYE, SOLID, TOXIC, N.O.S. or DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted	
3143	DYE, SOLID, TOXIC, N.O.S. or DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted	
3144	NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.	Yes	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Accepted	
3144	NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.	Yes	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Accepted	
3145	ALKYLPHENOLS, LIQUID, N.O.S. (including C ₂ - C ₁₂ homologues)		8	I	Corrosive			P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
3145	ALKYLPHENOLS, LIQUID, N.O.S. (including C ₂ - C ₁₂ homologues)		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
3145	ALKYLPHENOLS, LIQUID, N.O.S. (including C ₂ - C ₁₂ homologues)		8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
3146	ORGANOTIN COMPOUND, SOLID, N.O.S.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Accepted	
3146	ORGANOTIN COMPOUND, SOLID, N.O.S.	Yes	6.1	III	Toxic	43 274		P002	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3147	DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3147	DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted	
3147	DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted	
3150	DEVICES, SMALL, HYDROCARBON GAS POWERED or HYDROCARBON GAS REFILLS FOR SMALL DEVICES with release device		2.1		Flammable Gas			P209	30 Kgs G	2	(D)	Accepted	
3153	PERFLUORO(METHYL VINYL ETHER)		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
3154	PERFLUORO(ETHYL VINYL ETHER)		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
3155	PENTACHLOROPHENOL		6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Accepted	
3156	COMPRESSED GAS, OXIDIZING, N.O.S.	Yes	2.2 (5.1)		Non-Flammable Gas, Oxidizer	274 655 662		P200	30 Kgs G	3	(E)	Accepted	
3157	LIQUEFIED GAS, OXIDIZING, N.O.S.	Yes	2.2 (5.1)		Non-Flammable Gas, Oxidizer	274 662		P200	30 Kgs G	3	(C/E)	Accepted	
3159	1,1,1,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 134a)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
3161	LIQUEFIED GAS, FLAMMABLE, N.O.S.	Yes	2.1		Flammable Gas	274 662		P200	30 Kgs G	2	(B/D)	Forbidden	
3163	LIQUEFIED GAS, N.O.S.	Yes	2.2		Non-Flammable Gas	274 392 662		P200	30 Kgs G	3	(C/E)	Accepted	
3164	ARTICLES, PRESSURIZED, PNEUMATIC or HYDRAULIC (containing non-flammable gas)		2.2		Non-Flammable Gas	283 371 594		P003	30 Kgs G	3	(E)	Accepted	
3165	AIRCRAFT HYDRAULIC POWER UNIT FUEL TANK (containing a mixture of anhydrous hydrazine and methylhydrazine) (M86 fuel)		3 (6.1, 8)		Flammable Liquid, Toxic, Corrosive			P301	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3166	VEHICLE, FLAMMABLE GAS POWERED or VEHICLE, FLAMMABLE LIQUID POWERED or VEHICLE, FUEL CELL, FLAMMABLE GAS POWERED or VEHICLE, FUEL CELL, FLAMMABLE LIQUID POWERED				May not be regulated by ADR when shipped by UPS Standard (ground) service.								
3167	GAS SAMPLE, NON-PRESSURIZED, FLAMMABLE, N.O.S., not refrigerated liquid		2.1		Flammable Gas			P201	30 Kgs G	2	(D)	Accepted	
3171	BATTERY POWERED VEHICLE or BATTERY POWERED EQUIPMENT		9		May not be regulated by ADR when shipped by UPS Standard (ground) service.								

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3172	TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.	Yes	6.1	II	Toxic	210 274	SP210 Class 6.2 materials not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
3172	TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.	Yes	6.1	III	Toxic	210 274	SP210 Class 6.2 materials not accepted by UPS	P001	30 Kgs G	2	(E)	Accepted	
3174	TITANIUM DISULPHIDE		4.2	III	Spontaneously Combustible			P002	30 Kgs G	3	(E)	Forbidden	
3175	SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash- point up to 60 °C	Yes	4.1	II	Flammable Solid	216 274 601		P002	30 Kgs G	2	(E)	Forbidden	
3178	FLAMMABLE SOLID, INORGANIC, N.O.S.	Yes	4.1	II	Flammable Solid	274		P002	30 Kgs G	2	(E)	Accepted	
3178	FLAMMABLE SOLID, INORGANIC, N.O.S.	Yes	4.1	III	Flammable Solid	274		P002	30 Kgs G	3	(E)	Accepted	
3179	FLAMMABLE SOLID, TOXIC, INORGANIC, N.O.S.	Yes	4.1 (6.1)	II	Flammable Solid, Toxic	274		P002	30 Kgs G	2	(E)	Forbidden	
3179	FLAMMABLE SOLID, TOXIC, INORGANIC, N.O.S.	Yes	4.1 (6.1)	III	Flammable Solid, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden	
3180	FLAMMABLE SOLID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.1 (8)	II	Flammable Solid, Corrosive	274		P002	30 Kgs G	2	(E)	Forbidden	
3180	FLAMMABLE SOLID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.1 (8)	III	Flammable Solid, Corrosive	274		P002	30 Kgs G	3	(E)	Forbidden	
3181	METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.	Yes	4.1	II	Flammable Solid	274		P002	30 Kgs G	2	(E)	Accepted	
3181	METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.	Yes	4.1	III	Flammable Solid	274		P002	30 Kgs G	3	(E)	Accepted	
3182	METAL HYDRIDES, FLAMMABLE, N.O.S.	Yes	4.1	II	Flammable Solid	274 554		P410	30 Kgs G	2	(E)	Forbidden	
3182	METAL HYDRIDES, FLAMMABLE, N.O.S.	Yes	4.1	III	Flammable Solid	274 554		P002	30 Kgs G	3	(E)	Accepted	
3183	SELF-HEATING LIQUID, ORGANIC, N.O.S.	Yes	4.2	II	Spontaneously Combustible	274		P001	30 Kgs G	2	(D/E)	Forbidden	
3183	SELF-HEATING LIQUID, ORGANIC, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274		P001	30 Kgs G	3	(E)	Forbidden	
3184	SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.	Yes	4.2 (6.1)	II	Spontaneously Combustible, Toxic	274		P402	30 Kgs G	2	(D/E)	Forbidden	
3184	SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.	Yes	4.2 (6.1)	III	Spontaneously Combustible, Toxic	274		P001	30 Kgs G	3	(E)	Forbidden	
3185	SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S.	Yes	4.2 (8)	II	Spontaneously Combustible, Corrosive	274		P402	30 Kgs G	2	(D/E)	Forbidden	
3185	SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S.	Yes	4.2 (8)	III	Spontaneously Combustible, Corrosive	274		P001	30 Kgs G	3	(E)	Forbidden	
3186	SELF-HEATING LIQUID, INORGANIC, N.O.S.	Yes	4.2	II	Spontaneously Combustible	274		P001	30 Kgs G	2	(D/E)	Forbidden	
3186	SELF-HEATING LIQUID, INORGANIC, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274		P001	30 Kgs G	3	(E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3187	SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S.	Yes	4.2 (6.1)	II	Spontaneously Combustible, Toxic	274		P402	30 Kgs G	2	(D/E)	Forbidden	
3187	SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S.	Yes	4.2 (6.1)	III	Spontaneously Combustible, Toxic	274		P001	30 Kgs G	3	(E)	Forbidden	
3188	SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.2 (8)	II	Spontaneously Combustible, Corrosive	274		P402	30 Kgs G	2	(D/E)	Forbidden	
3188	SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.2 (8)	III	Spontaneously Combustible, Corrosive	274		P001	30 Kgs G	3	(E)	Forbidden	
3189	METAL POWDER, SELF-HEATING, N.O.S.	Yes	4.2	II	Spontaneously Combustible	274 555		P410	30 Kgs G	2	(D/E)	Forbidden	
3189	METAL POWDER, SELF-HEATING, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274 555		P002	30 Kgs G	3	(E)	Forbidden	
3190	SELF-HEATING SOLID, INORGANIC, N.O.S.	Yes	4.2	II	Spontaneously Combustible	274		P410	30 Kgs G	2	(D/E)	Forbidden	
3190	SELF-HEATING SOLID, INORGANIC, N.O.S.	Yes	4.2	III	Spontaneously Combustible	274		P002	30 Kgs G	3	(E)	Forbidden	
3191	SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.	Yes	4.2 (6.1)	II	Spontaneously Combustible, Toxic	274		P410	30 Kgs G	2	(D/E)	Forbidden	
3191	SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.	Yes	4.2 (6.1)	III	Spontaneously Combustible, Toxic	274		P002	30 Kgs G	3	(E)	Forbidden	
3192	SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.2 (8)	II	Spontaneously Combustible, Corrosive	274		P410	30 Kgs G	2	(D/E)	Forbidden	
3192	SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S.	Yes	4.2 (8)	III	Spontaneously Combustible, Corrosive	274		P002	30 Kgs G	3	(E)	Forbidden	
3205	ALKALINE EARTH METAL ALCOHOLATES, N.O.S.	Yes	4.2	II	Spontaneously Combustible	183 274		P410	30 Kgs G	2	(D/E)	Forbidden	
3205	ALKALINE EARTH METAL ALCOHOLATES, N.O.S.	Yes	4.2	III	Spontaneously Combustible	183 274		P002	30 Kgs G	3	(E)	Forbidden	
3206	ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.	Yes	4.2 (8)	II	Spontaneously Combustible, Corrosive	182 274		P410	30 Kgs G	2	(D/E)	Forbidden	
3206	ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.	Yes	4.2 (8)	III	Spontaneously Combustible, Corrosive	182 274		P002	30 Kgs G	3	(E)	Forbidden	
3210	CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	II	Oxidizer	274 351		P504	30 Kgs G	2	(E)	Accepted	
3210	CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	III	Oxidizer	274 351		P504	30 Kgs G	3	(E)	Accepted	
3211	PERCHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.		5.1	II	Oxidizer			P504	30 Kgs G	2	(E)	Accepted	
3211	PERCHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.		5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3212	HYPOCHLORITES, INORGANIC, N.O.S.	Yes	5.1	II	Oxidizer	274 349		P002	30 Kgs G	2	(E)	Accepted	
3213	BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	II	Oxidizer	274 350		P504	30 Kgs G	2	(E)	Accepted	
3213	BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	III	Oxidizer	274 350		P504	30 Kgs G	3	(E)	Accepted	
3214	PERMANGANATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	II	Oxidizer	274 353		P504	30 Kgs G	2	(E)	Accepted	
3215	PERSULPHATES, INORGANIC, N.O.S.		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
3216	PERSULPHATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.		5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted	
3218	NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.		5.1	II	Oxidizer	270 511		P504	30 Kgs G	2	(E)	Accepted	
3218	NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.		5.1	III	Oxidizer	270 511		P504	30 Kgs G	3	(E)	Accepted	
3219	NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	II	Oxidizer	103 274		P504	30 Kgs G	2	(E)	Accepted	
3219	NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	Yes	5.1	III	Oxidizer	103 274		P504	30 Kgs G	3	(E)	Accepted	
3220	PENTAFLUOROETHANE (REFRIGERANT GAS R 125)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
3223	SELF-REACTIVE LIQUID TYPE C	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden	
3224	SELF-REACTIVE SOLID TYPE C	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G and 10 Kgs net per package.	1	(D)	Forbidden	
3225	SELF-REACTIVE LIQUID TYPE D	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3226	SELF-REACTIVE SOLID TYPE D	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3227	SELF-REACTIVE LIQUID TYPE E	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3228	SELF-REACTIVE SOLID TYPE E	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3229	SELF-REACTIVE LIQUID TYPE F	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3230	SELF-REACTIVE SOLID TYPE F	Yes	4.1		Flammable Solid	194 274	SP194 Not accepted by UPS	P520	30 Kgs G	2	(D)	Forbidden	
3243	SOLIDS CONTAINING TOXIC LIQUID, N.O.S.	Yes	6.1	II	Toxic	217 274 601		P002	30 Kgs G	2	(D/E)	Accepted	
3244	SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S.	Yes	8	II	Corrosive	218 274		P002	30 Kgs G	2	(E)	Accepted	
3247	SODIUM PEROXOBORATE, ANHYDROUS		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
3248	MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.		3 (6.1)	II	Flammable Liquid, Toxic	220 221 601		P001	30 Kgs G	2	(D/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3248	MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.		3 (6.1)	III	Flammable Liquid, Toxic	220 221 601		P001	30 Kgs G	3	(D/E)	Forbidden	
3249	MEDICINE, SOLID, TOXIC, N.O.S.		6.1	II	Toxic	221 601		P002	30 Kgs G	2	(D/E)	Accepted	
3249	MEDICINE, SOLID, TOXIC, N.O.S.		6.1	III	Toxic	221 601		P002	30 Kgs G	2	(E)	Accepted	
3252	DIFLUOROMETHANE (REFRIGERANT GAS R 32)		2.1		Flammable Gas	662		P200	30 Kgs G	2	(B/D)	Forbidden	
3253	DISODIUM TRIOXOSILICATE		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
3259	AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3259	AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted	
3259	AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted	
3260	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3260	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted	
3260	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted	
3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted	
3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted	
3262	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3262	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted	
3262	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted	
3263	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P002	30 Kgs G and 10 Kgs net per package.	1	(E)	Forbidden	
3263	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P002	30 Kgs G	2	(E)	Accepted	
3263	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P002	30 Kgs G	3	(E)	Accepted	
3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted	
3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted	
3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted	
3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted	
3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted	
3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	Yes	8	I	Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(E)	Forbidden	
3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	Yes	8	II	Corrosive	274		P001	30 Kgs G	2	(E)	Accepted	
3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	Yes	8	III	Corrosive	274		P001	30 Kgs G	3	(E)	Accepted	
3268	SAFETY DEVICES, electrically initiated		9		Miscellaneous	280 289		P902	30 Kgs G	4	(E)	Accepted	
3269	POLYESTER RESIN KIT, liquid base material		3	II	Flammable Liquid	236 340		P302	30 Kgs G	2	(E)	Accepted	
3269	POLYESTER RESIN KIT, liquid base material		3	III	Flammable Liquid	236 340		P302	30 Kgs G	3	(E)	Accepted	
3270	NITROCELLULOSE MEMBRANE FILTERS, with not more than 12.6% nitrogen, by dry mass		4.1	II	Flammable Solid	237 286 403		P411	30 Kgs G	2	(E)	Accepted	
3271	ETHERS, N.O.S.	Yes	3	II	Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Accepted	
3271	ETHERS, N.O.S.	Yes	3	III	Flammable Liquid	274		P001	30 Kgs G	3	(D/E)	Accepted	
3272	ESTERS, N.O.S.	Yes	3	II	Flammable Liquid	274 601		P001	30 Kgs G	2	(D/E)	Accepted	
3272	ESTERS, N.O.S.	Yes	3	III	Flammable Liquid	274 601		P001	30 Kgs G	3	(D/E)	Accepted	
3273	NITRILES, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	I	Flammable Liquid, Toxic	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
3273	NITRILES, FLAMMABLE, TOXIC, N.O.S.	Yes	3 (6.1)	II	Flammable Liquid, Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden	
3274	ALCOHOLATES SOLUTION, N.O.S., in alcohol	Yes	3 (8)	II	Flammable Liquid, Corrosive	274		P001	30 Kgs G	2	(D/E)	Forbidden	
3275	NITRILES, TOXIC, FLAMMABLE, N.O.S.	Yes	6.1 (3)	II	Toxic, Flammable Liquid	274		P001	30 Kgs G	2	(D/E)	Forbidden	
3276	NITRILES, LIQUID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Accepted	
3276	NITRILES, LIQUID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instru- ctions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3277	CHLOROFORMATES, TOXIC, CORROSIVE, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274 561		P001	30 Kgs G	2	(D/E)	Forbidden	
3278	ORGANOPHOSPHORUS COMPOUND, LIQUID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	43 274		P001	30 Kgs G	2	(D/E)	Accepted	
3278	ORGANOPHOSPHORUS COMPOUND, LIQUID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	43 274		P001	30 Kgs G	2	(E)	Accepted	
3279	ORGANOPHOSPHORUS COMPOUND, TOXIC, FLAMMABLE, N.O.S.	Yes	6.1 (3)	II	Toxic, Flammable Liquid	43 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3280	ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	Yes	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Forbidden	
3280	ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	Yes	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Forbidden	
3281	METAL CARBONYLS, LIQUID, N.O.S.	Yes	6.1	II	Toxic	274 562		P001	30 Kgs G	2	(D/E)	Forbidden	
3281	METAL CARBONYLS, LIQUID, N.O.S.	Yes	6.1	III	Toxic	274 562		P001	30 Kgs G	2	(E)	Forbidden	
3282	ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274 562		P001	30 Kgs G	2	(D/E)	Forbidden	
3282	ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274 562		P001	30 Kgs G	2	(E)	Forbidden	
3283	SELENIUM COMPOUND, SOLID, N.O.S.	Yes	6.1	II	Toxic	274 563		P002	30 Kgs G	2	(D/E)	Forbidden	
3283	SELENIUM COMPOUND, SOLID, N.O.S.	Yes	6.1	III	Toxic	274 563		P002	30 Kgs G	2	(E)	Forbidden	
3284	TELLURIUM COMPOUND, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted	
3284	TELLURIUM COMPOUND, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted	
3285	VANADIUM COMPOUND, N.O.S.	Yes	6.1	II	Toxic	274 564		P002	30 Kgs G	2	(D/E)	Accepted	
3285	VANADIUM COMPOUND, N.O.S.	Yes	6.1	III	Toxic	274 564		P002	30 Kgs G	2	(E)	Accepted	
3286	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	Yes	3 (6.1, 8)	I	Flammable Liquid, Toxic, Corrosive	274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
3286	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	Yes	3 (6.1, 8)	II	Flammable Liquid, Toxic, Corrosive	274		P001	30 Kgs G	2	(D/E)	Forbidden	
3287	TOXIC LIQUID, INORGANIC, N.O.S.	Yes	6.1	II	Toxic	274		P001	30 Kgs G	2	(D/E)	Accepted	
3287	TOXIC LIQUID, INORGANIC, N.O.S.	Yes	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Accepted	
3288	TOXIC SOLID, INORGANIC, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted	
3288	TOXIC SOLID, INORGANIC, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted	
3289	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274		P001	30 Kgs G	2	(D/E)	Forbidden	
3290	TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274		P002	30 Kgs G	2	(D/E)	Forbidden	
3293	HYDRAZINE, AQUEOUS SOLUTION with not more than 37% hydrazine, by mass		6.1	III	Toxic	566		P001	30 Kgs G	2	(E)	Accepted	
3295	HYDROCARBONS, LIQUID, N.O.S.		3	I	Flammable Liquid			P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only	
3295		HYDROCARBONS, LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	3	II	Flammable Liquid	640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted		
3295		HYDROCARBONS, LIQUID, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	3	II	Flammable Liquid	640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted		
3295		HYDROCARBONS, LIQUID, N.O.S.	3	III	Flammable Liquid			P001	30 Kgs G	3	(D/E)	Accepted		
3296		HEPTAFLUOROPROPANE (REFRIGERANT GAS R 227)	2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted		
3297		ETHYLENE OXIDE AND CHLOROTETRAFLUORO-ETHANE MIXTURE with not more than 8.8% ethylene oxide	2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted		
3298		ETHYLENE OXIDE AND PENTAFLUOROETHANE MIXTURE with not more than 7.9% ethylene oxide	2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted		
3299		ETHYLENE OXIDE AND TETRAFLUOROETHANE MIXTURE with not more than 5.6% ethylene oxide	2.2		Non-Flammable Gas	392 662		P200	30 Kgs G	3	(C/E)	Accepted		
3301		CORROSIVE LIQUID, SELF-HEATING, N.O.S.	Yes	8 (4.2)	II	Corrosive, Spontaneously Combustible	274		P001	30 Kgs G	2	(E)	Forbidden	
3302		2-DIMETHYLAMINOETHYL ACRYLATE, STABILIZED	6.1	II	Toxic	386 676	SP386 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted		
3313		ORGANIC PIGMENTS, SELF-HEATING	4.2	II	Spontaneously Combustible			P002	30 Kgs G	2	(D/E)	Forbidden		
3313		ORGANIC PIGMENTS, SELF-HEATING	4.2	III	Spontaneously Combustible			P002	30 Kgs G	3	(E)	Forbidden		
3314		PLASTICS MOULDING COMPOUND in dough, sheet or extruded rope form evolving flammable vapour	9	III	Not Required	207 633 675	SP633 Not accepted by UPS	P002	30 Kgs G	3	(D/E)	Accepted		
3316		CHEMICAL KIT or FIRST AID KIT	9	II	Miscellaneous	251 340 671		P901	30 Kgs G	2 See SP671	(E)	Accepted		
3316		CHEMICAL KIT or FIRST AID KIT	9	III	Miscellaneous	251 340		P901	30 Kgs G	3	(E)	Accepted		
3320		SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION, with not more than 12% sodium borohydride and not more than 40% sodium hydroxide by mass	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted		
3320		SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION, with not more than 12% sodium borohydride and not more than 40% sodium hydroxide by mass	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted		

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3334	AVIATION REGULATED LIQUID, N.O.S.				May not be regulated by ADR when shipped by UPS Standard (ground) service.								
3335	AVIATION REGULATED SOLID, N.O.S.				May not be regulated by ADR when shipped by UPS Standard (ground) service.								
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S.	Yes	3	I	Flammable Liquid	274		P001	30 Kgs G and 10 Litres net per package.	1	(D/E)	Forbidden	
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S. (vapour pressure at 50 °C more than 110 kPa)	Yes	3	II	Flammable Liquid	274 640C	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S. (vapour pressure at 50 °C not more than 110 kPa)	Yes	3	II	Flammable Liquid	274 640D	SP640 not applicable to UPS	P001	30 Kgs G	2	(D/E)	Accepted	
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S.	Yes	3	III	Flammable Liquid	274		P001	30 Kgs G	3	(D/E)	Accepted	
3337	REFRIGERANT GAS R 404A (Pentafluoroethane, 1,1,1-trifluoroethane, and 1,1,1,2-tetrafluoroethane zeotropic mixture with approximately 44% pentafluoroethane and 52% 1,1,1-trifluoroethane)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
3338	REFRIGERANT GAS R 407A (Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane zeotropic mixture with approximately 20% difluoromethane and 40% pentafluoroethane)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
3339	REFRIGERANT GAS R 407B (Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane zeotropic mixture with approximately 10% difluoromethane and 70% pentafluoroethane)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	
3340	REFRIGERANT GAS R 407C (Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane zeotropic mixture with approximately 23% difluoromethane and 25% pentafluoroethane)		2.2		Non-Flammable Gas	662		P200	30 Kgs G	3	(C/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3341	THIOUREA DIOXIDE		4.2	II	Spontaneously Combustible			P002	30 Kgs G	2	(D/E)	Forbidden	
3341	THIOUREA DIOXIDE		4.2	III	Spontaneously Combustible			P002	30 Kgs G	3	(E)	Forbidden	
3342	XANTHATES		4.2	II	Spontaneously Combustible			P002	30 Kgs G	2	(D/E)	Forbidden	
3342	XANTHATES		4.2	III	Spontaneously Combustible			P002	30 Kgs G	3	(E)	Forbidden	
3345	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
3345	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
3346	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
3346	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3347	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3347	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3348	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
3348	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
3349	PYRETHROID PESTICIDE, SOLID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P002	30 Kgs G	2	(D/E)	Accepted	
3349	PYRETHROID PESTICIDE, SOLID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P002	30 Kgs G	2	(E)	Accepted	
3350	PYRETHROID PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	I	Flammable Liquid, Toxic	61 274		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
3350	PYRETHROID PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash-point less than 23 °C	Yes	3 (6.1)	II	Flammable Liquid, Toxic	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3351	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	II	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3351	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flash-point not less than 23 °C	Yes	6.1 (3)	III	Toxic, Flammable Liquid	61 274		P001	30 Kgs G	2	(D/E)	Forbidden	
3352	PYRETHROID PESTICIDE, LIQUID, TOXIC	Yes	6.1	II	Toxic	61 274 648		P001	30 Kgs G	2	(D/E)	Accepted	
3352	PYRETHROID PESTICIDE, LIQUID, TOXIC	Yes	6.1	III	Toxic	61 274 648		P001	30 Kgs G	2	(E)	Accepted	
3354	INSECTICIDE GAS, FLAMMABLE, N.O.S.	Yes	2.1		Flammable Gas	274 662		P200	30 Kgs G	2	(B/D)	Forbidden	
3356	OXYGEN GENERATOR, CHEMICAL		5.1		Oxidizer	284		P500	30 Kgs G	2	(E)	Accepted	
3358	REFRIGERATING MACHINES containing flammable, non-toxic, liquefied gas		2.1		Flammable Gas	291		P003	30 Kgs G	2	(D)	Forbidden	
3360	FIBRES, VEGETABLE, DRY				May not be regulated by ADR when shipped by UPS Standard (ground) service.								
3361	CHLOROSILANES, TOXIC, CORROSIVE, N.O.S.	Yes	6.1 (8)	II	Toxic, Corrosive	274		P010	30 Kgs G	2	(D/E)	Forbidden	
3362	CHLOROSILANES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.	Yes	6.1 (3, 8)	II	Toxic, Flammable Liquid, Corrosive	274		P010	30 Kgs G	2	(D/E)	Forbidden	
3363	DANGEROUS GOODS IN ARTICLES or DANGEROUS GOODS IN MACHINERY or DANGEROUS GOODS IN APPARATUS		9		May not be regulated by ADR when shipped by UPS Standard (ground) service.							Accepted	
3371	2-METHYLBUTANAL		3	II	Flammable Liquid			P001	30 Kgs G	2	(D/E)	Accepted	
3373	BIOLOGICAL SUBSTANCE, CATEGORY B		6.2		UN3373	319		P650	30 Kgs G	-	(-)	Accepted	
3373	BIOLOGICAL SUBSTANCE, CATEGORY B (animal material only)		6.2		UN3373	319		P650	30 Kgs G	-	(-)	Accepted	
3374	ACETYLENE, SOLVENT FREE		2.1		Flammable Gas	662		P200	30 Kgs G	2	(D)	Forbidden	
3375	AMMONIUM NITRATE EMULSION or SUSPENSION or GEL, intermediate for blasting explosives, liquid		5.1	II	Oxidizer	309	SP309 not accepted by UPS	P504	30 Kgs G	2	(E)	Forbidden	
3375	AMMONIUM NITRATE EMULSION or SUSPENSION or GEL, intermediate for blasting explosives, solid		5.1	II	Oxidizer	309	SP309 not accepted by UPS	P504	30 Kgs G	2	(E)	Forbidden	
3377	SODIUM PERBORATE MONOHYDRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
3378	SODIUM CARBONATE PEROXYHYDRATE		5.1	II	Oxidizer			P002	30 Kgs G	2	(E)	Accepted	
3378	SODIUM CARBONATE PEROXYHYDRATE		5.1	III	Oxidizer			P002	30 Kgs G	3	(E)	Accepted	
3400	ORGANOMETALLIC SUBSTANCE, SOLID, SELF- HEATING	Yes	4.2	II	Spontaneously Combustible	274		P410	30 Kgs G	2	(D/E)	Forbidden	
3400	ORGANOMETALLIC SUBSTANCE, SOLID, SELF- HEATING	Yes	4.2	III	Spontaneously Combustible	274		P002	30 Kgs G	3	(E)	Forbidden	
3405	BARIUM CHLORATE SOLUTION		5.1 (6.1)	II	Oxidizer, Toxic			P504	30 Kgs G	2	(E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provisions (SP's) (7)	Comments (8)	Packing Instructions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3405		BARIUM CHLORATE SOLUTION	5.1 (6.1)	III	Oxidizer, Toxic			P001	30 Kgs G	3	(E)	Forbidden	
3406		BARIUM PERCHLORATE SOLUTION	5.1 (6.1)	II	Oxidizer, Toxic			P504	30 Kgs G	2	(E)	Forbidden	
3406		BARIUM PERCHLORATE SOLUTION	5.1 (6.1)	III	Oxidizer, Toxic			P001	30 Kgs G	3	(E)	Forbidden	
3407		CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION	5.1	II	Oxidizer			P504	30 Kgs G	2	(E)	Accepted	
3407		CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION	5.1	III	Oxidizer			P504	30 Kgs G	3	(E)	Accepted	
3408		LEAD PERCHLORATE SOLUTION	5.1 (6.1)	II	Oxidizer, Toxic			P504	30 Kgs G	2	(E)	Forbidden	
3408		LEAD PERCHLORATE SOLUTION	5.1 (6.1)	III	Oxidizer, Toxic			P001	30 Kgs G	3	(E)	Forbidden	
3409		CHLORONITROBENZENES, LIQUID	6.1	II	Toxic	279		P001	30 Kgs G	2	(D/E)	Accepted	
3410		4-CHLORO- <i>o</i> -TOLUIDINE HYDROCHLORIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
3411		beta-NAPHTHYLAMINE SOLUTION	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
3411		beta-NAPHTHYLAMINE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
3412		FORMIC ACID with not less than 10% but not more than 85% acid by mass	8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
3412		FORMIC ACID with not less than 5% but less than 10% acid by mass	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
3413		POTASSIUM CYANIDE SOLUTION	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
3413		POTASSIUM CYANIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Forbidden	
3414		SODIUM CYANIDE SOLUTION	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Forbidden	
3414		SODIUM CYANIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Forbidden	
3415		SODIUM FLUORIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
3416		CHLOROACETO-PHENONE, LIQUID	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
3417		XYLYL BROMIDE, SOLID	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
3418		2,4-TOLUYLENEDIAMINE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
3419		BORON TRIFLUORIDE ACETIC ACID COMPLEX, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
3420		BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
3421		POTASSIUM HYDROGENDIFLUORIDE SOLUTION	8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden	
3421		POTASSIUM HYDROGENDIFLUORIDE SOLUTION	8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden	
3422		POTASSIUM FLUORIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
3424		AMMONIUM DINITRO- <i>o</i> -CRESOLATE SOLUTION	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
3424		AMMONIUM DINITRO- <i>o</i> -CRESOLATE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
3425		BROMOACETIC ACID, SOLID	8	II	Corrosive			P002	30 Kgs G	2	(E)	Accepted	
3426		ACRYLAMIDE SOLUTION	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
3427		CHLOROBENZYL CHLORIDES, SOLID	6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
3428		3-CHLORO-4-METHYLPHENYL ISOCYANATE, SOLID	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
3429		CHLOROTOLUIDINES, LIQUID	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
3430		XYLENOLS, LIQUID	6.1	II	Toxic			P001	30 Kgs G	2	(D/E)	Accepted	
3431		NITROBENZO-TRIFLUORIDES, SOLID	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
3434		NITROCREOLS, LIQUID	6.1	III	Toxic			P001	30 Kgs G	2	(E)	Accepted	
3436		HEXAFLUOROACETONE HYDRATE, SOLID	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
3437		CHLOROCREOLS, SOLID	6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3438	alpha-METHYLBENZYL ALCOHOL, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
3439	NITRILES, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted	
3439	NITRILES, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Accepted	
3440	SELENIUM COMPOUND, LIQUID, N.O.S.	Yes	6.1	II	Toxic	563		P001	30 Kgs G	2	(D/E)	Forbidden	
3440	SELENIUM COMPOUND, LIQUID, N.O.S.	Yes	6.1	III	Toxic	274		P001	30 Kgs G	2	(E)	Forbidden	
3441	CHLORODINITROBENZENES, SOLID		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted	
3442	DICHLOROANILINES, SOLID		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted	
3443	DINITROBENZENES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
3444	NICOTINE HYDROCHLORIDE, SOLID		6.1	II	Toxic	43		P002	30 Kgs G	2	(D/E)	Accepted	
3445	NICOTINE SULPHATE, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
3446	NITROTOLUENES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
3447	NITROXYLENES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
3448	TEAR GAS SUBSTANCE, SOLID, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Accepted	
3451	TOLUIDINES, SOLID		6.1	II	Toxic	279		P002	30 Kgs G	2	(D/E)	Accepted	
3452	XYLIDINES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
3453	PHOSPHORIC ACID, SOLID		8	III	Corrosive			P002	30 Kgs G	3	(E)	Accepted	
3454	DINITROTOLUENES, SOLID		6.1	II	Toxic			P002	30 Kgs G	2	(D/E)	Accepted	
3455	CRESOLS, SOLID		6.1 (8)	II	Toxic, Corrosive			P002	30 Kgs G	2	(D/E)	Forbidden	
3456	NITROSYLSULPHURIC ACID, SOLID		8	II	Corrosive			P002	30 Kgs G	2	(E)	Forbidden	
3457	CHLORONITROTOLUENES, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
3458	NITROANISOLES, SOLID		6.1	III	Toxic	279		P002	30 Kgs G	2	(E)	Accepted	
3459	NITROBROMOBENZENES, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
3460	N-ETHYLBENZYL-TOLUIDINES, SOLID		6.1	III	Toxic			P002	30 Kgs G	2	(E)	Accepted	
3462	TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.	Yes	6.1	II	Toxic	210 274	SP210 Class 6.2 materials not accepted by UPS	P002	30 Kgs G	2	(D/E)	Accepted	
3462	TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.	Yes	6.1	III	Toxic	210 274	SP210 Class 6.2 materials not accepted by UPS	P002	30 Kgs G	2	(E)	Accepted	
3463	PROPIONIC ACID with not less than 90% acid by mass		8 (3)	II	Corrosive, Flammable Liquid			P001	30 Kgs G	2	(D/E)	Forbidden	
3464	ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	43 274		P002	30 Kgs G	2	(D/E)	Accepted	
3464	ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	43 274		P002	30 Kgs G	2	(E)	Accepted	
3465	ORGANOARSENIC COMPOUND, SOLID, N.O.S.	Yes	6.1	II	Toxic	274		P002	30 Kgs G	2	(D/E)	Forbidden	
3465	ORGANOARSENIC COMPOUND, SOLID, N.O.S.	Yes	6.1	III	Toxic	274		P002	30 Kgs G	2	(E)	Forbidden	
3466	METAL CARBONYLS, SOLID, N.O.S.	Yes	6.1	II	Toxic	274 562		P002	30 Kgs G	2	(D/E)	Forbidden	
3466	METAL CARBONYLS, SOLID, N.O.S.	Yes	6.1	III	Toxic	274 562		P002	30 Kgs G	2	(E)	Forbidden	
3467	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	Yes	6.1	II	Toxic	274 562		P002	30 Kgs G	2	(D/E)	Forbidden	
3467	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	Yes	6.1	III	Toxic	274 562		P002	30 Kgs G	2	(E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3468		HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM or HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM CONTAINED IN EQUIPMENT or HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM PACKED WITH EQUIPMENT	2.1		Flammable Gas	321 356	SP356 not accepted by UPS	P205	30 Kgs G	2	(D)	Forbidden	
3469		PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning and reducing compound)	3 (8)	I	Flammable Liquid, Corrosive	163 367		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	
3469		PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning and reducing compound)	3 (8)	II	Flammable Liquid, Corrosive	163 367		P001	30 Kgs G	2	(D/E)	Forbidden	
3469		PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning and reducing compound)	3 (8)	III	Flammable Liquid, Corrosive	163 367		P001	30 Kgs G	3	(D/E)	Forbidden	
3470		PAINT, CORROSIVE, FLAMMABLE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, CORROSIVE, FLAMMABLE (including paint thinning and reducing compound)	8 (3)	II	Corrosive, Flammable Liquid	163 367		P001	30 Kgs G	2	(D/E)	Forbidden	
3471		HYDROGENDIFLUORIDES SOLUTION, N.O.S.	8 (6.1)	II	Corrosive, Toxic			P001	30 Kgs G	2	(E)	Forbidden	
3471		HYDROGENDIFLUORIDES SOLUTION, N.O.S.	8 (6.1)	III	Corrosive, Toxic			P001	30 Kgs G	3	(E)	Forbidden	
3472		CROTONIC ACID, LIQUID	8	III	Corrosive			P001	30 Kgs G	3	(E)	Accepted	
3473		FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT containing flammable liquids	3		Flammable Liquid	328		P004	30 Kgs G	3	(E)	Accepted	
3474		1-HYDROXYBENZOTRIAZOLE MONOHYDRATE	4.1	I	Flammable Solid			P406	30 Kgs G and 10 Kgs net per package.	1	(B)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3475	ETHANOL AND GASOLINE MIXTURE or ETHANOL AND MOTOR SPIRIT MIXTURE or ETHANOL AND PETROL MIXTURE, with more than 10% ethanol		3	II	Flammable Liquid	333 664	SP664 not accepted by UPS	P001	30 Kgs G	2	(D/E)	Accepted	
3477	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing corrosive substances		8		Corrosive	328 334		P004	30 Kgs G	3	(E)	Forbidden	
3478	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing liquefied flammable gas		2.1		Flammable Gas	328 338		P004	30 Kgs G	2	(D)	Accepted	
3479	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing hydrogen in metal hydride		2.1		Flammable Gas	328 339		P004	30 Kgs G	2	(D)	Accepted	
3480	LITHIUM ION BATTERIES (including lithium ion polymer batteries)		9		Miscellaneous 9A Battery	188 230 310 348 376 377 387 636 677	SP310 for damaged/defectiv e batteries and batteries sent for disposal/recycling not accepted. SP's 376, 377 and 636 not accepted by UPS. Contact UPS for additional details.	P903	30 Kgs G	2	(E)	Accepted	3480
3481	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)		9		Miscellaneous 9A Battery	188 230 310 348 360 376 377 387 390 636 670 677	SP310 for damaged/defectiv e batteries and batteries sent for disposal/recycling not accepted. SP's 376, 377, 636 and 670 not accepted by UPS. Contact UPS for additional details.	P903	30 Kgs G	2	(E)	Accepted	
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC		3 (6.1)	I	Flammable Liquid, Toxic	343		P001	30 Kgs G and 10 Litres net per package.	1	(C/E)	Forbidden	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC		3 (6.1)	II	Flammable Liquid, Toxic	343		P001	30 Kgs G	2	(D/E)	Forbidden	
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC		3 (6.1)	III	Flammable Liquid, Toxic	343		P001	30 Kgs G	3	(D/E)	Forbidden	
3495	IODINE		8 (6.1)	III	Corrosive, Toxic	279		P002	30 Kgs G	3	(E)	Forbidden	
3496	BATTERIES, NICKEL-METAL HYDRIDE				May not be regulated by ADR when shipped by UPS Standard (ground) service.								
3497	KRILL MEAL		4.2	II	Spontaneously Combustible	300	SP300 not accepted by UPS	P410	30 Kgs G	2	(D/E)	Forbidden	
3497	KRILL MEAL		4.2	III	Spontaneously Combustible	300	SP300 not accepted by UPS	P002	30 Kgs G	3	(E)	Forbidden	
3498	IODINE MONOCHLORIDE, LIQUID		8	II	Corrosive			P001	30 Kgs G	2	(E)	Accepted	
3499	CAPACITOR, ELECTRIC DOUBLE LAYER (with an energy storage capacity greater than 0.3Wh)		9		Miscellaneous	361		P003	30 Kgs G	4	(E)	Accepted	
3500	CHEMICAL UNDER PRESSURE, N.O.S.	Yes	2.2		Non-Flammable Gas	274 659		P206	30 Kgs G	3	(C/E)	Accepted	
3501	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.	Yes	2.1		Flammable Gas	274 659		P206	30 Kgs G	2	(B/D)	Forbidden	
3502	CHEMICAL UNDER PRESSURE, TOXIC, N.O.S.	Yes	2.2 (6.1)		Non-Flammable Gas, Toxic	274 659		P206	30 Kgs G and 10 Kgs net per package.	1	(C/D)	Forbidden	
3503	CHEMICAL UNDER PRESSURE, CORROSIVE, N.O.S.	Yes	2.2 (8)		Non-Flammable Gas, Corrosive	274 659		P206	30 Kgs G and 10 Kgs net per package.	1	(C/D)	Forbidden	
3504	CHEMICAL UNDER PRESSURE, FLAMMABLE, TOXIC, N.O.S.	Yes	2.1 (6.1)		Flammable Gas, Toxic	274 659		P206	30 Kgs G and 10 Kgs net per package.	1	(B/D)	Forbidden	
3505	CHEMICAL UNDER PRESSURE, FLAMMABLE, CORROSIVE, N.O.S.	Yes	2.1 (8)		Flammable Gas, Corrosive	274 659		P206	30 Kgs G and 10 Kgs net per package.	1	(B/D)	Forbidden	
3506	MERCURY CONTAINED IN MANUFACTURED ARTICLES		8 (6.1)		Corrosive, Toxic	366		P003	30 Kgs G	3	(E)	Forbidden	
3508	CAPACITOR, ASYMMETRIC (with an energy storage capacity greater than 0.3Wh)		9		Miscellaneous	372		P003	30 Kgs G	4	(E)	Accepted	
3509	PACKAGINGS, DISCARDED, EMPTY, UNCLEANED		9		Miscellaneous	663	SP663 Not accepted by UPS	P003	30 Kgs G	4	(E)	Accepted	
3510	ADSORBED GAS, FLAMMABLE, N.O.S.	Yes	2.1		Flammable Gas	274		P208	30 Kgs G	2	(D)	Forbidden	
3511	ADSORBED GAS, N.O.S.	Yes	2.2		Non-Flammable Gas	274		P208	30 Kgs G	3	(E)	Accepted	
3513	ADSORBED GAS, OXIDIZING, N.O.S.	Yes	2.2 (5.1)		Non-Flammable Gas, Oxidizer	274		P208	30 Kgs G	3	(E)	Accepted	
3527	POLYESTER RESIN KIT, solid base material		4.1	II	Flammable Solid	236 340		P412	30 Kgs G	2	(E)	Accepted	
3527	POLYESTER RESIN KIT, solid base material		4.1	III	Flammable Solid	236 340		P412	30 Kgs G	3	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3528	ENGINE, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED or ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED or MACHINERY, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED or MACHINERY, FUEL CELL, FLAMMABLE LIQUID POWERED		3		Flammable Liquid	363 667 669	SP363 not accepted by UPS. SP669 not applicable to UPS.	P005	30 Kgs G	-	(D)	Accepted	
3529	ENGINE, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED or ENGINE, FUEL CELL, FLAMMABLE GAS POWERED or MACHINERY, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED or MACHINERY, FUEL CELL, FLAMMABLE GAS POWERED		2.1		Flammable Gas	363 667 669	SP363 not accepted by UPS. SP669 not applicable to UPS.	P005	30 Kgs G	-	(B)	Accepted	
3530	ENGINE, INTERNAL COMBUSTION or MACHINERY, INTERNAL COMBUSTION		9		Miscellaneous	363 667 669	SP363 not accepted by UPS. SP669 not applicable to UPS.	P005	30 Kgs G	-	(E)	Accepted	
3531	POLYMERIZING SUBSTANCE, SOLID, STABILIZED, N.O.S.	Yes	4.1	III	Flammable solid	274 386 676	SP386 Not accepted by UPS	P002	30 Kgs G	2	(D)	Forbidden	
3532	POLYMERIZING SUBSTANCE, LIQUID, STABILIZED, N.O.S.	Yes	4.1	III	Flammable solid	274 386 676	SP386 Not accepted by UPS	P002	30 Kgs G	2	(D)	Forbidden	
3535	TOXIC SOLID, FLAMMABLE, INORGANIC, N.O.S.	Yes	6.1 (4.1)	II	Toxic, Flammable Solid	274		P002	30 Kgs G and 10 Kgs net per package.	2	(D/E)	Forbidden	
3537	ARTICLES CONTAINING FLAMMABLE GAS, N.O.S.	Yes	2.1		Flammable Gas	274 310		P006	30 Kgs G	4	(E)	Accepted	
3538	ARTICLES CONTAINING NON-FLAMMABLE, NON TOXIC GAS, N.O.S.	Yes	2.2		Non-Flammable, Non Toxic Gas	274 310 396		P006	30 Kgs G	4	(E)	Accepted	
3540	ARTICLES CONTAINING FLAMMABLE LIQUID, N.O.S.	Yes	3		Flammable	274 310		P006	30 Kgs G	4	(E)	Accepted	
3541	ARTICLES CONTAINING FLAMMABLE SOLID, N.O.S.	Yes	4.1		Flammable Solid	274 310		P006	30 Kgs G	4	(E)	Accepted	
3542	ARTICLES CONTAINING A SUBSTANCE LIABLE TO SPONTANEOUS COMBUSTION, N.O.S.	Yes	4.2		Substance Liable To Spontaneous Combustion	274		P006	30 Kgs G	4	(E)	Forbidden	
3544	ARTICLES CONTAINING OXIDIZING SUBSTANCE, N.O.S.	Yes	5.1		Oxidizing Substance	274		P006	30 Kgs G	4	(E)	Accepted	
3545	ARTICLES CONTAINING ORGANIC PEROXIDE, N.O.S.	Yes	5.2		Organic Peroxide	274		P006	30 Kgs G	4	(E)	Forbidden	
3546	ARTICLES CONTAINING TOXIC SUBSTANCE, N.O.S.	Yes	6.1		Toxic Substance	274 310		P006	30 Kgs G	4	(E)	Accepted	
3547	ARTICLES CONTAINING CORROSIVE SUBSTANCE, N.O.S.	Yes	8		Corrosive	274 310		P006	30 Kgs G	4	(E)	Accepted	
3548	ARTICLES CONTAINING MISCELLANEOUS DANGEROUS GOODS, N.O.S.	Yes	9		Miscellaneous	274 310		P006	30 Kgs G	4	(E)	Accepted	

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3551		SODIUM ION BATTERIES with organic electrolyte	9		Miscellaneous 9A Battery	188 230 310 348 376 377 400 401 636 677	SP310 for prototype and low production runs require special approval. SP310 for damaged/defective batteries and batteries sent for disposal/recycling not accepted. SP's 376, 377, 636 not accepted by UPS. Contact UPS for additional details.	P903	30 Kgs G	2	(E)		
3552		SODIUM ION BATTERIES CONTAINED IN EQUIPMENT or SODIUM ION BATTERIES PACKED WITH EQUIPMENT, with organic electrolyte	9		Miscellaneous 9A Battery	188 230 310 348 360 376 377 400 401 670 677	SP310 for prototype and low production runs require special approval. SP310 for damaged/defective batteries and batteries sent for disposal/recycling not accepted. SP's 376, 377, 636 not accepted by UPS. Contact UPS for additional details.	P903	30 Kgs G	2	(E)		
3553		DISILANE	2.1		Flammable Gas	632 662			30 Kgs G	2	(B/D)	Forbidden	
3554		GALLIUM CONTAINED IN MANUFACTURED	8		Corrosive	366		P003	30 Kgs G	3	(E)	Forbidden	
3556		VEHICLE, LITHIUM ION BATTERY POWERED	9		Miscellaneous 9A Battery	388 666 667 669	May not be regulated by ADR when shipped by UPS Standard (ground) service.	P912	30 Kgs G	-	(-)		

UPS Chemical Table - ADR

UN No. (1)	PSN (2)	Technical Name Required (3)	Class /Division (Subsidiary Risk) (4)	PG (5)	Labels (6)	Special provi- sions (SP's) (7)	Comments (8)	Packing Instruc- tions (9)	ADR MAX (UPS) (10)	Transport Category (11)	Tunnel Restriction Code (12)	Channel Tunnel (13)	View My Commodities Only
3557	VEHICLE, LITHIUM METAL BATTERY POWERED		9		Miscellaneous 9A Battery	388 666 667 669	May not be regulated by ADR when shipped by UPS Standard (ground) service.	P912	30 Kgs G	-	(-)		
3558	VEHICLE, SODIUM ION BATTERY POWERED		9		Miscellaneous 9A Battery	388 404 666 667 669	May not be regulated by ADR when shipped by UPS Standard (ground) service.	P912	30 Kgs G	-	(-)		